

Alexandra Schek

Mediterrane Kost auch für Leistungssportler?!

Literatur

- Ajani, U.A.; Gaziano, J.M.; Lotufo, P.A.; Liu, S.; Hennekens, C.H.; Buring, J.E. & Manson, J.E. (2000). Alcohol consumption and risk of coronary heart disease by diabetes status. *Circulation*, 102, 500-505.
- Augustin, L.S.; Franceschi, S.; Jenkins, D.J.A.; Kendall C.W.C. & La Vecchia, C. (2002). Glycemic index in chronic disease: a review. *Eur. J. Clin. Nutr.*, 56, 1049-1071.
- Bergström, J.; Hermansen, L.; Hultman, E. & Saltin, B. (1967). Diet, muscle glycogen and physical performance. *Acta Physiol. Scand.*, 71, 140-150.
- Bingham, S.A.; Day, N.E.; Luben, R.; Ferrari, P.; Slimani, N.; Norat, T.; Clavel-Chapelon, F.; Kesse, E.; Nieters, A.; Boeing, H.; Tjønneland, A. et al. (2003). Dietary fibre in food and protection against colorectal cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC): an observational study. *Lancet*, 361, 1496-1501.
- Blom, R.S.C.; Hostmark, A.T.; Vaage, O.; Kardel, K.R. & Maehlum, S. (1987). Effect of different post-exercise sugar diets on the rate of muscle glycogen synthesis. *Med. Sci. Sports Exerc.*, 19, 491-496.
- Bowden, V.L. & McMurray, R.G. (2003). Effects of training status on the metabolic responses to high carbohydrate and high fat meals. *IJSNEM*, 10, 16-27.
- Bravata, D.M.; Sanders, L.; Huang, J.; Krumholz, H.M.; Olkin, I.; Gardner, C.D. & Bravata, D.M. (2003). Efficacy and safety of low-carbohydrate diets. A systematic review. *JAMA*, 289, 1837-1850.
- Brehm, B.J.; Seeley, R.J.; Daniels, S.R. & d'Alessio, D.A. (2003). A randomized trial comparing a very low carbohydrate diet and a calorie-restricted low fat diet on body weight and cardiovascular risk factors in healthy women. *J. Clin. Endocrinol. Metab.*, 88, 1617-1623.
- Brouns, F. & van der Vusse, G.J. (1998). Utilization of lipids during exercise in human subjects: metabolic and dietary constraints. *Br. J. Nutr.*, 79, 117-128.
- Brown, R.C. & Cox, C.M. (1998). Effects of high fat versus high carbohydrate diets on plasma lipids and lipoproteins in endurance athletes. *Med. Sci. Sports Exerc.*, 30, 1677-1683.
- Brown, R.C.; Cox, C.M. & Goulding, A. (2000). High-carbohydrate versus high-fat diets: effect on body composition in trained cyclists. *Med. Sci. Sports Exerc.*, 32, 690-694.
- Burke, L.M.; Angus, D.J.; Cox, G.R.; Cummings, N.K.; Febbraio, M.A.; Gawthorn, K.; Hawley, J.A.; Minehan, M.; Martin, D.T. & Hargreaves, M. (2000a). Effect of fat adaptation and carbohydrate restoration on metabolism and performance during prolonged cycling. *J. Appl. Physiol.*, 89, 2413-2421.
- Burke, L.M.; Claassen, A.; Hawley, J.A. & Noakes, T.D. (1998a). Carbohydrate intake during prolonged cycling minimizes effect of glycemic index of preexercise meal. *J. Appl. Physiol.*, 85, 2220-2226.
- Burke, L.M.; Collier, G.R.; Davis, P.G.; Fricker, P.A.; Sanigorski, A.J. & Hargreaves, M. (1996). Muscle glycogen storage after prolonged exercise: effect of the frequency of carbohydrate feedings. *Am. J. Clin. Nutr.*, 64, 115-119.
- Burke, L.M.; Collier, G.R. & Hargreaves, M. (1993). Muscle glycogen storage after prolonged exercise: effect of the glycemic index of carbohydrate feedings. *J. Appl. Physiol.*, 75, 1019-1023.
- Burke, L.M.; Collier, G.R. & Hargreaves, M. (1998b). Glycemic index – a new tool in Sport Nutrition? *Int. J. Sport Nutr.*, 8, 401-415.
- Burke, L.M.; Cox, G.R.; Cummings, N.K. & Desbrow, B. (2001). Guidelines for daily carbohydrate intake: do athletes achieve them? *Sports Med.*, 31, 267-299.
- Burke, L.M. & Hawley, J.A. (1999). Carbohydrate and exercise. *Curr. Opin. Clin. Nutr. Metab. Care*, 2, 515-520.
- Burke, L.M. & Hawley, J.A. (2000). Effects of short-term fat adaptation on metabolism and performance of prolonged exercise. *Med. Sci. Sports Exerc.*, 34, 1492-1498.
- Burke, L.M.; Hawley, J.A.; Angus, D.J.; Cox, G.R.; Clark, S.A.; Cummings, N.K.; Desbrow, B. & Hargreaves, M. (2002). Adaptations to short-term high-fat diet persist during exercise despite high carbohydrate availability. *Med. Sci. Sports Exerc.*, 34, 83-91.
- Burke, L.M.; Hawley, J.A.; Schabort, E.J.; St Clair Gibson, A.; Mujika, I.; Noakes, T.D. (2000b). Carbohydrate loading failed to improve 100-km cycling performance in a placebo-controlled trial. *J. Appl. Physiol.*, 88, 1284-1290.
- Cameron-Smith, D.; Burke, L.M.; Angus, D.J.; Tunstall, R.J.; Cox, G.R.; Bonen, A.; Hawley, J.A. & Hargreaves, M. (2003). A short-term, high-fat diet up-regulates lipid metabolism and gene expression in human skeletal muscle. *Am. J. Clin. Nutr.*, 77, 313-318.
- Carey, A.L.; Staudacher, H.M.; Cummings, N.K.; Stepto, N.K.; Nikolopoulos, V.; Burke, L.M. & Hawley, J.A. (2001). Effects of fat adaptation and carbohydrate restoration on prolonged endurance exercise. *J. Appl. Physiol.*, 19, 115-122.
- Chopra, M.; Galbraith, S. & Darnton-Hill, I. (2002). A global response to a global problem: the epidemic of overnutrition. *Bull. World Health Organ.*, 80, 952-958.
- Cordain, L.; Brand Miller, J.; Eaton, S.B.; Mann, N.; Holt, S.H.A. & Speth, J.D. (2000). Plant-animal subsistence ratios and macronutrient energy estimations in worldwide hunter-gatherer diets. *Am. J. Clin. Nutr.*, 71, 682-692.
- Cordain, L.; Eaton, S.B.; Brand Miller, J.; Mann, N. & Hill, K. (2002). The paradoxical nature of hunter-gatherer diets: meat-based, yet non-atherogenic. *Eur. J. Clin. Nutr.*, 56, Suppl. 1, S42-S52.
- Cox, C.M.; Brown, R.C. & Mann, J.I. (1996). The effects of high-carbohydrate versus high-fat dietary advice on plasma lipids, lipoproteins, apolipoproteins, and performance in endurance trained cyclists. *Nutr. Metab. Cardiovasc. Dis.*, 6, 227-233.
- Cushman, W.C.; Cutler, J.A.; Hanna, E.; Bingham, S.F.; Follmann, D.; Harford, T.; Dubbert, P.; Allender, P.S.; Dufour, M.; Collins, J.F. et al. (1998). Prevention and Treatment of Hypertension Study (PATHS): effects of an alcohol treatment program on blood pressure. *Arch. Intern. Med.*, 158, 1197-1207.
- Décombaz, J.; Schmitt, B.; Ith, M.; Decarli, B.; Diem, P.; Kreis, R.; Hoppeler, H. & Boesch, C. (2001). Postexercise fat intake repletes intramyocellular lipids but no faster in trained than in sedentary subjects. *Am. J. Physiol. Regul. Integr. Comp. Physiol.*, 281, R760-R769.
- DGE (Hrsg.) (2000) Ernährungsbericht 2000. Ernährungssituation in Deutschland (S. 17-79). Frankfurt.
- DGE (Hrsg.) (2000a) Ernährungsbericht 2000. Essverhalten und Ernährungsstatus von Kindern und Jugendlichen – eine Repräsentativerhebung in Deutschland (S. 115-146). Frankfurt.
- DGE (Hrsg.) (2000b) Ernährungsbericht 2000. Krankheitssphäre mit vollwertiger Ernährung (S. 287-352). Frankfurt.
- Dresner, A.; Laurent, D.; Marcucci, M.; Griffin, M.E.; Dufour, S.; Cline, G.W.; Slezak, L.A.; Andersen, D.K.; Hundal, R.S.; Rothman, D.L.; Petersen, K.F. & Shulman, F.I. (1999). Effects of free fatty acids on glucose transport and IRS-1-associated phosphatidylinositol 3-kinase activity. *J. Clin. Invest.*, 103, 253-259.
- Ebbeling, C.B.; Pawlak, D.B. & Ludwig, D.S. (2002). Childhood obesity: public-health crisis, common sense cure. *Lancet*, 360, 473-479.
- Eissing, G. & Lach, J. (2003). Evaluation von Ernährungskreis und -pyramide im Schulunterricht. *Ernährungs-Umschau*, 50, 50-53.
- Erp-Baart, van A.M.J.; Saris, W.H.M.; Binkhorst, R.A.; Vos J.A. & Elvers, J.W.H. (1989). Nationwide survey on nutritional habits in elite athletes. *Int. J. Sports Med.*, 10, Suppl., 3-16.
- Fairchild, T.J.; Fletcher, S.; Steele, P.; Goodman, D.; Dawson, B. & Fournier, P.A. (2002). Rapid carbohydrate loading after a short bout of near maximal-intensity exercise. *Med. Sci. Sports Exerc.*, 34, 980-986.
- Farnsworth, E.; Luscombe, N.D.; Noakes, M.; Wittert, G.; Argyiou, E. & Clifton, P.M. (2003). Effect of a high-protein, energy restricted diet on body composition, glycemic control, and lipid concentrations in overweight and obese hyperinsulinemic men and women. *Am. J. Clin. Nutr.*, 78, 31-39.
- Febbraio, M.A.; Keenan, J.; Angus, D.J.; Campbell, S.E. & Garnham, A.P. (2000). Preexercise carbohydrate ingestion, glucose kinetics, and muscle glycogen use: effect of the glycemic index. *J. Appl. Physiol.*, 89, 1845-1851.
- Febbraio, M.A. & Stewart, K.L. (1996). CHO feeding before prolonged exercise: effect of glycemic index on muscle glycogenolysis and exercise performance. *J. Appl. Physiol.*, 81, 1115-1120.
- Foster, C.; Costill, D.L. & Fink, W.J. (1979). Effects of pre-exercise feedings on endurance performance. *Med. Sci. Sports Exerc.*, 11, 1-5.
- Foster, G.D.; Wyatt, H.R.; Hill, J.O.; McGuckin, B.G.; Brill, C.; Mohammed, B.S.; Szapary, P.O.; Rader, D.J.; Edman, J.S. & Klein, S. (2003). A randomized trial of a low-carbohydrate diet for obesity. *N. Engl. J. Med.*, 348, 2082-2090.
- Foster-Powell, K.; Holt, S.H.A. & Brand-Miller, J.C. (2002). International table of glycemic index and glycemic load values: 2002. *Am. J. Clin. Nutr.*, 76, 5-56.
- Frost, G.; Leeds, A.A.; Dore, C.J.; Madeiros, S.; Brading, S. & Dornhorst, A. (1999). Glycemic index as a determinant of serum HDL-cholesterol concentration. *Lancet*, 353, 1045-1048.
- Frost, G.; Leeds, A.A.; Trew, G.; Margara, R.; Dornhorst, A. (1998). Insulin sensitivity in women at risk of coronary heart disease and the effect of a low glycemic index. *Metabolism*, 47, 1245-1251.
- Goedecke, J.H.; Christie, C.; Wilson, G.; Dennis, S.C.; Noakes, T.D.; Hopkins, W.G. & Lambert, E.V. (1999). Metabolic adaptations to a high-fat diet in endurance cyclists. *Metabolism*, 48, 1509-1517.
- Hawley, J.A. (2002). Effect of increased fat availability on metabolism and exercise capacity. *Med. Sci. Sports Exerc.*, 34, 1485-1491.
- Hawley, J.A.; Schabort, E.J.; Noakes, T.D. & Dennis, S.C. (1997). Carbohydrate loading and exercise performance: an update. *Sports Med.*, 24, 73-81.
- Hays, J.H.; Gorman, R.T. & Shakir, K.M.M. (2002). Results of use of metformin and replacement of starch with saturated fat in diets of patients with type 2 diabetes. *Endocr. Pract.*, 8, 177-183.
- Helge, J.W. (2002). Long-term fat diet adaptation effects on performance, training capacity, and fat utilization. *Med. Sci. Sports Exerc.*, 34, 1499-1504.
- Helge, J.W.; Kriketos, A.D. & Storlien, L.H. (1998). Insulin sensitivity, muscle fibre types, and membrane lipids. *Adv. Exp. Med. Biol.*, 441, 129-138.
- Helge, J.W.; Richter, E.A. & Kiens, B. (1996). Interaction of training and diet on metabolism and endurance during exercise in man. *J. Physiol.*, 492, 293-306.
- Helge, J.W.; Watt, P.W.; Richter, E.A.; Rennie, M.J. & Kiens, B. (2001). Fat utilization during exercise: adaptation to a fat-rich diet increases utilization of plasma fatty acids and very low density lipoprotein-triacylglycerol in humans. *J. Physiol.*, 537, 1009-1020.
- Hoppeler, H.; Biller, R.; Horvath, P.J.; Leddy, J.J. & Pendergast, D.R. (1999). Muscle structure with low- and high-fat diets in well-trained male runners. *Int. J. Sports Med.*, 20, 522-526.
- Horvath, P.J.; Eagen, C.K.; Fisher, N.M.; Leddy, J.J. & Pendergast, D.R. (2000a). The effects of varying dietary fat on performance and metabolism in trained male and female runners. *J. Am. Coll. Nutr.*, 19, 52-60.
- Horvath, P.J.; Eagen, C.K.; Ryer-Calvin, S.D. & Pendergast, D.R. (2000b). The effects of varying dietary fat on the nutrient intake in male and female runners. *J. Am. Coll. Nutr.*, 19, 42-51.
- Hu, F.B. (2003). The Mediterranean diet and mortality – olive oil and beyond. *New Engl. J. Med.*, 348, 2595-2608.

- Hu, F.B.; Rimm, E.B.; Stampfer, M.J.; Ascherio, A.; Spiegelman, D. & Willett, W.C. (2000a). Prospective study of major dietary patterns and risk of coronary heart disease in men. *Am. J. Clin. Nutr.*, 72, 912-921.
- Hu, F.B. & Stampfer, M.J. (1999). Nut consumption and risk of coronary heart disease: a review of epidemiologic evidence. *Curr. Atheroscler. Rep.*, 1, 204-209.
- Hu, F.B.; Stampfer, M.J.; Colditz, G.A.; Ascherio, A.; Rexrode, K.M.; Willett, W.C. & Manson, J.E. (2000b). Physical activity and risk of stroke in women. *JAMA*, 283, 2961-1967.
- Hu, F.B.; Stampfer, M.J.; Manson, J.E.; Ascherio, A.; Colditz, G.A.; Speizer, F.E.; Hennekens, D.H. & Willett, W.C. (1999a). Dietary saturated fats and their food sources in relation to the risk of coronary heart disease in women. *Am. J. Clin. Nutr.*, 70, 1001-1008.
- Hu, F.B.; Stampfer, M.H.; Manson, J.E.; Rimm, E.B.; Wolk, A.; Colditz, G.A.; Hennekens, C.H. & Willett, W.C. (1999b). Dietary intake of alpha-linolenic acid and risk of fatal ischemic heart disease among women. *Am. J. Clin. Nutr.*, 69, 890-897.
- Hu, F.B.; Stampfer, M.H.; Rimm, E.B.; Manson, J.E.; Ascherio, A.; Colditz, G.A.; Rosner, B.A.; Spiegelman, D.; Speizer, F.E.; Sacks, F.M.; Hennekens, C.H. & Willett, W.C. (1999c). A prospective study of egg consumption and risk of cardiovascular disease in men and women. *JAMA*, 281, 1387-1394.
- Iossa, S.; Mollica, M.P.; Lionetti, L.; Crescenzo, R.; Botta, M. & Liverini, G. (2002). Skeletal muscle oxidative capacity in rats fed high-fat diet. *Int. J. Obesity*, 26, 65-72.
- Jenkins, D.J.; Wolever, T.M.; Ocana, A.M.; Vuksan, V.; Cunnane, S.C.; Jenkins, M.; Wong, G.S.; Singer, W.; Bloom, S.R.; Blendis, L.M. et al. (1990). Metabolic effects of reducing rate of glucose ingestion by single bolus versus continuous sipping. *Diabetes*, 39, 775-781.
- Jentjens, R.L. & Jeukendrup, A.E. (2003) Effects of pre-exercise ingestion of trehalose, galactose and glucose on subsequent metabolism and cycling performance. *Eur. J. Appl. Physiol.*, 88, 459-465.
- Jeukendrup, A.E. (1998). Fat metabolism during exercise: a review – part III: effects of nutritional interventions. *Int. J. Sports Med.*, 19, 371-379.
- Kalmijn, S.; Feskens, E.J.M.; Launer, L.J.; Stijnen, T. & Kromhout, D. (1995). Glucose intolerance, hyperinsulinaemia and cognitive function in a general population of elderly men. *Diabetologia*, 38, 1096-1102.
- Kasper, H. (1996). Ernährungsmedizin und Diätetik. München: Urban & Schwarzenberg.
- Katan, M.B. (1998). Effect of low-fat diets on plasma high-density lipoprotein concentrations. *Am. J. Clin. Nutr.*, 67, Suppl., 573S-576S.
- Khaw, K.T.; Wareham, N.; Luben, R.; Bingham, S.; Oakes, S.; Welch, A. & Day, N. (2001). Glycated haemoglobin, diabetes, and mortality in men in Norfolk cohort of European Prospective Investigation of Cancer and Nutrition (EPIC-Norfolk). *Brit. Med. J.*, 322, 15-20.
- Kiess, B. (2001). Diet and training in the week before competition. *Can. J. Appl. Physiol.*, 26, Suppl., S56-S63.
- Krauss, R.M.; Eckel, R.H.; Howard, B.; Appel, L.J.; Daniels, S.R.; Deckelbaum, R.J.; Erdman, J.W.; Kris-Etherton, P.; Goldberg, I.J.; Kotchen, T.A. et al. (2000). AHA Dietary Guidelines. Revision 2000: A statement for healthcare professionals from the Nutrition Committee of the American Heart Association. *Circulation*, 102, 2284-2299.
- Kris-Etherton, P.; Eckel, R.H.; Howard, B.V.; St. Jeor, S. & Bazzarre, T.L. (2001). Lyon diet heart study. Benefits of a Mediterranean-style, national cholesterol education program/AHA step I dietary pattern on cardiovascular disease. *Circulation*, 103, 1823-1825.
- Lambert, E.V.; Speechly, D.P.; Dennis, S.C. & Noakes, T.D. (1994). Enhanced endurance in trained cyclists during moderate intensity exercise following 2 weeks adaptation to a high fat diet. *Eur. J. Appl. Physiol. Occup. Physiol.*, 69, 287-293.
- Lambert, E.V.; Goedecke, J.H.; van Zyl, C.; Murphy, K.; Hawley, J.A.; Dennis, S.C. & Noakes, T.D. (2001). High-fat diet versus habitual diet prior to carbohydrate loading: effects on exercise metabolism and cycling performance. *IJNEM*, 11, 209-225.
- Layman, D.K. (2003). The role of leucine in weight loss diets and glucose homeostasis. *J. Nutr.*, 133, 261S-267S.
- Leaf, A.; Kang, J.X.; Xiao, Y.-F. & Billman, G.E. (2003). Clinical prevention of sudden cardiac death by n-3 polyunsaturated fatty acids and mechanism of prevention of arrhythmias by n-3 fish oils. *Circulation*, 107, 2646-2652.
- Lefebvre, P.J. & Scheen, A.J. (1998). The postprandial state and risk of cardiovascular disease. *Diabet. Med.*, 15, Suppl., S63-S68.
- Liu, S.; Manson, J.E.; Buring, J.E.; Stampfer, M.J.; Willett, W.C. & Ridker, P.M. (2002) Relation between a diet with a high glycemic load and plasma concentrations of high-sensitivity C-reactive protein in middle-aged women. *Am. J. Clin. Nutr.*, 75, 492-498.
- Liu, S.; Manson, J.E.; Stampfer, M.J.; Holmes, M.D.; Hu, F.B.; Hankinson, S.E. & Willett, W.C. (2001). Dietary glycemic load assessed by food-frequency questionnaire in relation to plasma high-density-lipoprotein cholesterol and fasting plasma triacylglycerols in postmenopausal women. *Am. J. Clin. Nutr.*, 73, 560-566.
- Liu, S.; Manson, J.E.; Stampfer, M.J.; Hu, F.B.; Giovannucci, E.; Colditz, G.A.; Hennekens, C.H. & Willett, W.C. (2000a). A prospective study of whole-grain intake and risk of type 2 diabetes mellitus in US women. *Am. J. Public Health*, 90, 1409-1415.
- Liu, S.; Manson, J.E.; Stampfer, M.J.; Rexrode, K.M.; Hu, F.B.; Rimm, E.B. & Willett, W.C. (2000b). Whole grain consumption and risk of ischemic stroke in women: A prospective study. *JAMA*, 284, 1534-1540.
- Liu, S. & Willett, W.C. (2002). Dietary glycemic load and atherothrombotic risk. *Curr. Atheroscler. Rep.*, 4, 454-461.
- Liu, S.; Willett, W.C.; Stampfer, M.J.; Hu, F.B.; Franz, M.; Sampson, L.; Hennekens, C.H. & Manson J.E. (2000c). A prospective study of dietary glycemic load, carbohydrate intake, and risk of coronary heart disease in US women. *Am. J. Clin. Nutr.*, 71, 1455-1461.
- Lorgeril, de M.; Renaud, S.; Mamelle, N.; Salen, P. Martin, J.L.; Monjaud, I.; Guidollet, J.; Toublou, P & Delaye, J. (1994). Mediterranean alpha-linolenic acid-rich diet in secondary prevention of coronary heart disease. *Lancet*, 343, 1454-1459.
- Lorgeril, de M.; Salen, P.; Martin, J.-L.; Monjaud, I.; Delaye, J. & Mamelle, N. (1999). Mediterranean diet, traditional risk factors, and the rate of cardiovascular complications after myocardial infarction. Final report of the Lyon Diet Heart Study. *Circulation*, 99, 779-785.
- Ludwig, D.S. (2000). Dietary glycemic index and obesity. *J. Nutr.*, 130, 280S-283S.
- Ludwig, D.S. (2002). The glycemic index. Physiological mechanisms relating to obesity, diabetes, and cardiovascular disease. *JAMA*, 287, 2414-2423.
- Ludwig, D.S. & Ebbeling, C.B. (2001). Typ 2 diabetes mellitus in children. Primary care and public health considerations. *JAMA*, 286, 1427-1430.
- Ludwig, D.S.; Majzoub, J.A.; Al-Zahrani, A.; Dallal, G.E.; Blanco, I. & Roberts, S.B. (1999a). High glycemic index foods, overeating, and obesity. *Pediatrics*, 103, e26.
- Ludwig, D.S.; Pereira, M.A.; Kroenke, C.H.; Hilner, J.E.; van Horn, L.; Slattery, M.L. & Jacobs, D.R. (1999b). Dietary fiber, weight gain, and cardiovascular disease risk factors in young adults. *JAMA*, 282, 1539-1545.
- McClellan, T.M.; Cheung, S.S. & Jacobs, I. (1995). Variability of time to exhaustion during submaximal exercise. *Can. J. Appl. Physiol.*, 20, 39-51.
- Mensink, R.P. & Katan, M.B. (1992) Effect of dietary fatty acids on serum lipids and lipoproteins. A meta-analysis of 27 trials. *Arterioscler. Thromb. Vasc. Res.*, 12, 911-919.
- Mensink, R.P.; Zock, P.L.; Kester A.D.M. & Katan, M.B. (2003). Effects of dietary fatty acids and carbohydrates on the ratio of serum total to HDL cholesterol and on serum lipids and apolipoproteins: a meta-analysis of 60 controlled trials. *Am. J. Clin. Nutr.*, 77, 1146-1155.
- Meyer, K.A.; Conigrave, K.M.; Nain-Feng, C.; Rifai, N.; Spiegelman, D.; Stampfer, M.J. & Rimm, E.B. (2003). Alcohol consumption patterns and HbA1c, C-peptide and insulin concentration in men. *JAMA*, 22, 185-194.
- Mittendorfer, B. & Klein, S. (2003). Physiological factors that regulate the use of endogenous fat and carbohydrate fuels during endurance exercise. *Nutr. Res. Rev.*, 16, 97-108.
- Morris, K.L.; Namey, T.C. & Zemel, M.B. (2003). Effects of dietary carbohydrate on the development of obesity in heterozygous Zucker rats. *J. Nutr. Biochem.*, 14, 32-39.
- Oberriether, H. (2000). Die neuen "10 Regeln der DGE". *DGE-Info*, 8, 114.
- Oomen, C.M.; Feskens, E.J.; Rasanen, L.; Fidanza, F.; Nissinen, A.M.; Menotti, A.; Kok, F.J. & Kromhout, D. (2000). Fish consumption and coronary heart disease mortality in Finland, Italy, and the Netherlands. *Am. J. Epidemiol.*, 151, 999-1006.
- Osterkamp-Baerens, C. & Pogan, K. (2003). Ansatzpunkte für die Ernährungsoptimierung im Leistungssport in der Trainingsphase. Am Beispiel von Ernährungsanalyse-Ergebnissen ausgewählter Sportarten. *Leistungssport*, 33 (5), 5-11.
- Osterkamp-Baerens, C. & Schrey, R. (2003). Ansatzpunkte für die Ernährungsoptimierung im Leistungssport während des Wettkampfs. Am Beispiel von Ernährungsanalyse-Ergebnissen während eines Turniers der Hockey-Damen-Nationalmannschaft. *Leistungssport*, 33 (5), 12-15.
- Parks, E.J. & Hellerstein, M.K. (2000). Carbohydrate-induced hypertriglycerolemia: historical perspective and review of biological mechanisms. *Am. J. Clin. Nutr.*, 71, 412-433.
- Pedersen, B.K.; Helge, J.W.; Richter, E.A.; Rohde, T. & Kiens, B. (2000). Training and natural immunity: effects of diets rich in fat or carbohydrate. *Eur. J. Appl. Physiol.*, 82, 98-102.
- Pendergast, D.R.; Leddy, J.J. & Venkatraman, J.T. (2000). A perspective on fat intake in athletes. *J. Am. Coll. Nutr.*, 19, 345-350.
- Phinney, S.D.; Bistrian, B.R.; Evans, V.W.; Gervino, E. & Blackburn, G.L. (1983). The human metabolic response to chronic ketosis without caloric restriction: preservation of submaximal exercise capability with reduced carbohydrate oxidation. *Metabolism*, 32, 769-776.
- Pinkney, J.H.; Stehouwer, C.D.; Coppack, S.W. & Yudkin, J.S. (1997). Endothelial dysfunction: cause of the insulin resistance syndrome. *Diabetes*, 46, Suppl., S9-S13.
- Pitsiladis, Y.P. & Maughan, R.J. (1999). The effects of alterations in dietary carbohydrate intake on the performance of high-intensity exercise in trained individuals. *Eur. J. Appl. Physiol.*, 79, 433-442.
- Pogliaghi, S. & Veicsteinas, A. (1999). Influence of low and high dietary fat on physical performance in untrained males. *Med. Sci. Sports Exerc.*, 31, 149-155.
- Poortmans, J.R. & Dellalieux, O. (2000). Do regular high protein diets have potential health risks on kidney function in athletes? *IJNEM*, 10, 28-38.
- Rasmussen, B.B.; Holmbäck, U.C.; Volpi, E.; Morio-Liondore, B.; Paddon-Jones, D. & Wolfe, R.R. (2002). Malonyl coenzyme A and the regulation of functional carnitine palmitoyltransferase-1 activity and fat oxidation in human skeletal muscle. *J. Clin. Invest.*, 110, 1687-1693.
- Richards, M.P. (2002). A brief review of the archaeological evidence for Palaeolithic and Neolithic subsistence. *Eur. J. Clin. Nutr.*, 56, doi:10.1038/sj.ejcn.1601646.
- Roltsch, M.H.; Flohr, J.A. & Brevard, P.B. (2002). The effect of diet manipulations on aerobic performance. *IJNEM*, 12, 480-489.
- Roy, H.J.; Lovejoy, J.C.; Keenan, M.J.; Bray, G.A.; Windhauser, M. M. & Krause Wilson, J. (1998). Substrate oxidation and energy expenditure in athletes and nonathletes consuming isoenergetic high- and low-fat diets. *Am. J. Clin. Nutr.*, 67, 405-11.
- Salmeron, J.; Ascherio, A.; Rimm, E.B.; Colditz, G.A.; Spiegelman, D.; Jenkins, D.J.; Stampfer, M.J.; Wing, A.L. & Willett, W.C. (1997a). Dietary fiber, glycemic load, and risk of NIDDM in men. *Diabetes Care*, 20, 545-550.
- Salmeron, J.; Manson, J.E.; Stampfer, M.B.; Colditz, G.A.; Wing, A.L. & Willett, W.C. (1997b). Dietary fiber, glycemic load, and risk of non-insulin-dependent diabetes mellitus in women. *JAMA*, 277, 472-477.
- Samaha, F.F.; Iqbal, N.; Seshadri, P.; Chicano, K.L.; Daily, D.A.; McGrory, J.; Williams, T.; Williams, M.; Gracely, E.J. & Stern, L. (2003) A low-carbohydrate as compared with a low-fat diet in severe obesity. *N. Engl. J. Med.*, 348, 2074-2081.
- Schek, A. (1997). Modell zur Quantifizierung der Energiebereitstellung aus Fett und Kohlenhydraten in Abhängigkeit von der Belastungsintensität bei Ausdauersportlern mit unterschiedlichen Leistungs niveaus. Gießen: Wissenschaftlicher Fachverlag.
- Schek, A. (2002a). Top-Leistung im Sport durch bedürfnisgerechte Ernährung. *Trainer-Bibliothek Bd. 36*. Münster: Philippka-Sportverlag.
- Schek, A. (2002b). Sekundäre Pflanzenstoffe. *Leistungssport*, 32 (5), 44-52.
- Schrauwen, P.; Wagenmakers, A.J.M.; van Marken Lichtenbelt, W.D. & Saris, W.H.M. (2000). Increase in fat oxidation on a high-fat diet is accompanied by an increase in triglyceride-derived fatty acid oxidation. *Diabetes*, 49, 640-646.
- Schwarz, J.-M.; Linfoot, P.; Dare, D. & Aghajanian, K. (2003). Hepatic de novo lipogenesis in normoinsulinemic and hyper-

- insulinemic subjects consuming high-fat, low-carbohydrate and low-fat, high-carbohydrate isoenergetic diets. *Am. J. Clin. Nutr.*, 77, 43-50.
- Sell, K.; Gedrich, K.; Fischer, B. & Döring, A. (2003). Trends im Ernährungsverhalten in der Region Augsburg. Ergebnisse der MONICA-/KORA-Studien 1984 bis 2001. *Ernährungs-Umschau*, 50, 208-213.
- Sharman, M.J.; Kraemer, W.J.; Love, D.M.; Avery, N.G.; Gómez, A.L.; Scheett, T.P. & Volek, J.S. (2002). A ketogenic diet favorably affects serum biomarkers for cardiovascular disease in normal-weight men. *J. Nutr.*, 132, 1879-1885.
- Sherman, W.M.; Costill, D.M.; Fink, W. & Miller, J. (1981). Effect of exercise-diet manipulation on muscle glycogen and its subsequent utilization during performance. *Int. J. Sports Med.*, 2, 114-118.
- Sherman, W.M. (1989). Muscle glycogen supercompensation during the week before athletic competition. *Sports Sci. Exchange*, 2, 1-4.
- Singh, R.B.; Rastogi, S.S.; Verma, R.; Laxmi, B., Singh, R.; Ghosh, S. & Niaz, M.A. (1992). Randomised controlled trial of cardioprotective diet in patients with recent acute myocardial infarction: results of one-year follow-up. *Brit. Med. J.*, 304, 1015-1019.
- Singh, R.B.; Dubnav, G.; Niaz, M.A.; Ghosh, S.; Singh, R.; Rastogi, S.S.; Manor, O.; Pella, D. & Berry, E.M. (2002). Effect of an Indo-Mediterranean diet on progression of coronary artery disease in high risk patients (Indo-Mediterranean Heart Study): a randomised single-blind trial. *Lancet*, 360, 1455-1461.
- Siscovick, D.S.; Lemaitre, R.N. & Mozaffarian, D. (2003). The Fish Story. A diet-heart hypothesis with clinical implications: n-3 polyunsaturated fatty acids, myocardial vulnerability, and sudden death. *Circulation*, 107, 2632-2634.
- Sondike, S.B.; Copperman, N. & Jacobson, M.S. (2003). Effects of a low-carbohydrate diet on weight loss and cardiovascular risk factors in overweight adolescents. *J. Pediatr.*, 142, 253-258.
- Souci, S.W., Fachmann, W. & Kraut, H. (2000). Die Zusammensetzung der Lebensmittel. Nährwert-Tabellen. Stuttgart: Medpharm Science Publishers.
- Sparks, M.J.; Selig, S.S. & Febbraio, M.A. (1998). Pre-exercise carbohydrate ingestion: effect of the glycemic index on endurance exercise performance. *Med. Sci. Sports Exerc.*, 30, 844-849.
- Stannard, S.R.; Thompson, M.W. & Brand-Miller, J.C. (2000). The effect of glycemic index on plasma glucose and lactate levels during incremental exercise. *IJSNEM*, 10, 51-61.
- Starling, R.D.; Trappe, T.A.; Parcell, A.C.; Kerr, C.G.; Fink, W.J. & Costill, D.L. (1997). Effects of diet on muscle triglyceride and endurance performance. *J. Appl. Physiol.*, 82, 1185-1189.
- Statistisches Bundesamt (2003). Sterbefälle nach den 10 häufigsten Todesursachen 2001 insgesamt und nach Geschlecht. <http://www.destatis.de/basis/d/gesu/gesutab20.htm> (21.07.2003).
- Staudacher, H.M.; Carey, A.L.; Cummings, N.K.; Hawley, J.A. & Burke, L.M. (2001). Short-term high-fat diet alters substrate utilization during exercise but not glucose tolerance in highly trained athletes. *IJSNEM*, 11, 273-286.
- Stepto, N.K.; Carey, A.L.; Staudacher, H.M.; Cummings, N.K.; Burke, L.M. & Hawley, J.A. (2002). Effect of short-term fat adaptation on high-intensity training. *Med. Sci. Sports Exerc.*, 34, 449-455.
- Svetkey, L.P.; Sacks, F.M.; Obarzanek, E.; Vollmer, W.M.; Appel, L.J.; Lin, P.H.; Karanja, N.M.; Harsha, D.W.; Bray, G.A.; Aickin, M. et al. (1999). The DASH diet, sodium intake and blood pressure trial (DASH-sodium): rationale and design. DASH-Sodium Collaborative Research Group. *J. Am. Diet Assoc.*, 99, Suppl., S96-S104.
- Tarnopolski, M.A.; MacDougall, J.D. & Atkinson, S.A. (1988). Influence of protein intake and training status on nitrogen balance and lean body mass. *J. Appl. Physiol.*, 64, 187-193.
- Tavani, A.; Bosetti, C.; Negri, E.; Augustin, L.S.; Jenkins, D.J.A. & La Vecchia, C. (2003). Carbohydrates, dietary glycemic load and glycemic index, and risk of acute myocardial infarction. *Heart*, 89, 722-726.
- Thomas, D.E.; Brotherhood, J.R. & Brand, J.C. (1991). Carbohydrate feeding before exercise: effect of glycemic index. *Int. J. Sports Med.*, 12, 180-186.
- Trichopoulou, A.; Costacou, T.; Bamia, C. & Trichopoulou, D. (2003). Adherence to a Mediterranean diet and survival in a Greek population. *N. Engl. J. Med.*, 348, 2599-2608.
- Venkatraman, J.T.; Feng, X. & Pendergast, D. (2001). Effects of dietary fat on endurance exercise on plasma cortisol, prostaglandin E2, interferon- γ and lipid peroxides in runners. *J. Am. Coll. Nutr.*, 20, 529-536.
- Venkatraman, J.T.; Leddy, J. & Pendergast, D. (2000). Dietary fats and immune status in athletes: clinical implications. *Med. Sci. Sports Exerc.*, 32, Suppl., S389-S395.
- Venkatraman, J.T. & Pendergast, D. (1998). Effects of the level of dietary fat intake and endurance exercise on plasma cytokines in runners. *Med. Sci. Sports Exerc.*, 30, 1198-1204.
- Venkatraman, J.T. & Pendergast, D. (2002). Effect of dietary intake on immune function in athletes. *Sports Med.*, 32, 323-337.
- Venkatraman, J.T.; Rowland, J.A.; Denardin, E.; Horvath, P.J. & Pendergast, D. (1997). Influence of the level of dietary lipid intake and maximal exercise on the immune status in runners. *Med. Sci. Sports Exerc.*, 29, 333-344.
- Virkamäki, A.; Ueki, K. & Kahn, C.R. (1999). Protein-protein interaction in insulin signaling and the molecular mechanisms of insulin resistance. *J. Clin. Invest.*, 103, 931-943.
- Volek, J.S.; Sharman, M. J.; Love, D.M.; Avery, N.G.; Gómez, A.L.; Scheett, T.P. & Kraemer, W.J. (2002). Body composition and hormonal responses to a carbohydrate-restricted diet. *Metabolism*, 51, 864-870.
- Whitley, H.A.; Humphreys, S.M.; Campbell, I.T.; Keegan, M.A.; Jayanetti, T.D.; Sperry, D.P.; MacLaren, D.P.; Reilly, T. & Frayn, K.N. (1998). Metabolic and performance responses during exercise after high-fat and high-carbohydrate meals. *J. Appl. Physiol.*, 85, 418-424.
- Willett, W.C. (1998a). Is dietary fat a major determinant of body fat? *Am. J. Clin. Nutr.*, 67, Suppl., 556S-562S.
- Willett, W.C. (1998b). The dietary pyramid: does the foundation need repair? *Am. J. Clin. Nutr.*, 68, 218f.
- Willett, W.C. (1998c). Dietary fat and obesity: an unconvincing relation. *Am. J. Clin. Nutr.*, 68, 1149-1150.
- Willett, W.; Manson, J. & Liu, S. (2002). Glycemic index, glycemic load, and risk of type 2 diabetes. *Am. J. Clin. Nutr.*, 76, Suppl., 274S-280S.
- Wolever, T.M.; Jenkins, D.J.; Jenkins, A.L. & Josse, R.G. (1991). The glycemic index: methodology and clinical implications. *Am. J. Clin. Nutr.*, 54, 846-854.
- Worm, N. (2002). Macht Fett fett und fettarm schlank? *Dtsch. Med. Wochenschr.*, 127, 2743-2747.
- Zock, P.L. & Katan, M.B. (1997). Trans fatty acids, lipoproteins, and coronary risk. *Can. J. Physiol. Pharmacol.*, 75, 211-216.

*