

Andreas Schlumberger/Klaus Wirth/Yusefei Liu/Jürgen Steinacker/Dietmar Schmidtbleicher:

# Effekte eines Trainings mit einer Schnellkraftmethodenkombination

## Literatur

- Alkner, B.A., Tesch, P.A. & Berg, H.E. (2000). Quadriceps EMG/force relationship in knee extension and leg press. *Med. Sci. Sports Exerc.*, 32, 459-463.
- Craig, B.W. (2000). Variation: an important component of training. *Strength and Cond. J.*, 22 (5), 22-23.
- Cronin, J., McNair, P.J. & Marshall, R.N. (2001). Velocity specificity, combination training and sport specific tasks. *J. Sci. Med. Sport*, 4, 168-178.
- Delecluse, C., van Coppenolle, H., Willems, E., van Leemputte, M., Diels, R. & Goris, M. (1995). Influence of high-resistance and high-velocity training on sprint performance. *Med. Sci. Sports Exerc.*, 27, 1203-1209.
- Fitts, R.H. & Widrick, J.J. (1996). Muscle mechanics: adaptations with exercise-training. *Exerc. Sport Sci Rev.*, 24, 427-473.
- Gollhofer, A. (2002). Neuromuscular performance in research and clinical application. *Isokinetics Exerc. Sci.*, 10, 11-12.
- Häkkinen, K. (1986). Training and detraining adaptations in electromyographic, muscle fibre and force production characteristics of human leg extensor muscles. *Jyväskylä*.
- Hagbarth, K.E., Kunesch, E.J., Nordin, M., Schmidt, R. & Wallin, E.U. (1986) g-loop contributing to maximal voluntary contractions in man. *J. Physiol.*, 380, 575-591.
- Harris, G.R., Stone, M.H., O'Bryant, H.S., Proulx, C.M. & Johnson, R.L. (2000). Short-term performance effects of high power, high force, or combined weight-training methods. *J. Strength and Cond. Res.*, 14, 14-20.
- Jürimäe, J., Abernethy, P.J., Quinley, B.M., Blake, K. & McEniery, M.T. (1997). Differences in muscle contractile characteristics among bodybuilders, endurance trainers and control subjects. *Eur. J. Appl. Physiol.*, 75, 357-362.
- Kraemer, W.J., Ratamess, N., Fry, A.C., Triplett-McBride, T., Koziris, L.P., Bauer, J.A., Lynch, J.M. & Fleck, S.J. (2000). Influence of resistance training volume and periodization on physiological and performance adaptations in collegiate women tennis players. *Am. J. Sports Med.*, 28, 626-633.
- Letzelter, H. (1985). Zur Wirksamkeit der Wiederholungs- und der intensiven Intervallmethode auf Maximal- und Schnellkräftfähigkeiten. In M. Bührle (Hrsg.), *Grundlagen des Maximal- und Schnellkrafttrainings* (S. 121-135). Schorndorf: Hofmann.
- Liu, Y., Schlumberger, A., Wirth, K., Schmidtbleicher, D., Steinacker, J.M. (2003). Different effects of human skeletal myosin heavy chain isoform expression: strength vs. combination training. *J. Appl. Physiol.* 94, 2282-2288.
- McBride, J.M., Triplett-McBride, T., Davie, A. & Newton, R.U. (2002). The effect of heavy- vs. light-load jump squats on the development of strength, power, and speed. *J. Strength Cond. Res.*, 16, 75-82.
- McHugh, M.P., Tyler, T.F., Greenberg, S.C. & Gleim, G.W. (2002). Differences in activation patterns between eccentric and concentric quadriceps contractions. *J. Sports Sci.*, 20, 83-91.
- Miller, J.P., Croe, R.V. & Hutchins, R. (2000). Reciprocal coactivation patterns of the medial and lateral quadriceps and hamstrings during slow, medium and high speed isokinetic movements. *J. Electromyogr. Kinesiol.*, 10, 233-239.
- Murphy, A.J., Wilson, G.J. & Pryor, J.F. (1994). Use of the isoinertial force mass relationship in the prediction of human performance. *Eur. J. Appl. Physiol.*, 69, 250-257.
- Newton, R.U. & Kraemer, W.J. (1994). Developing explosive muscular power: implications for a mixed methods training strategy. *J. Strength Cond. Res.*, 16, 20-31.
- Newton, R.U., Kraemer, W.J., Häkkinen, K., Humphries, B.J. & Murphy, A.J. (1996). Kinematics, kinetics and muscle activation during explosive upper body movements. *J. Appl. Biomechanics*, 12, 31-43.
- Paddon-Jones, D., Leveritt, M., Lonergan, A. & Abernethy, P. (2001). Adaptation to chronic eccentric exercise in humans: the influence of contraction velocity. *Eur. J. Appl. Physiol.*, 85, 466-471.
- Pette, D. (1999). Das adaptative Potential des Skelettmuskels. *Deutsche Zeitschrift für Sportmedizin*, 50, 262-271.
- Pryor, J.F., Wilson, G.J. & Murphy, A.J. (1994) The effectiveness of eccentric, concentric and isometric rate of force development tests. *J. Hum. Mov. Studies*, 27, 153-172.
- Remple, M.S., Bruneau, R.M., Vandenberg, P.V., Goertzen, C. & Kleim, J.A. (2001). Sensitivity of cortical movement representations to motor experience: evidence that skill learning but not strength training induces cortical reorganization. *Behav. Brain Res.*, 123, 133-141.
- Sale, D.G. (1991). Testing strength and power. In J.D. MacDougall, H.A. Wenger & H.J. Green (eds.), *Physiological testing of the high-performance athlete* (pp. 21-106). Champaign, IL.
- Schilling, B.K., Fry, A.C., Chiu L.Z., Weiss, L.W., Williams, J.I., Rasmussen, C.J. & Kreider, R.B. (2001) Myosin heavy chain expression and rate of force development in weight trained males and females. *J. Strength Cond. Res.*, 15, 398.
- Schlumberger, A. (2000). Optimierung von Trainingsstrategien im Schnellkrafttraining. Köln.
- Schlumberger, A. & Eder, K. (2001). Verletzungsprophylaxe durch Stabilisationstraining. *Leistungssport*, 31 (5), 26-31.
- Schlumberger, A. & Schmidtbleicher, D. (2001). Effekte eines Krafttrainings mit explosiv-isometrischen Kontraktionen. *Deutsche Zeitschrift für Sportmedizin*, 52, 94-99.
- Schmidtbleicher, D. (1980). *Maximalkraft und Bewegungsschnelligkeit*. Bad Homburg.
- Stone, M.H., Plisk, S.C., Stone, M.E., Schilling, B.K., O'Bryant, H.S. & Pierce, K.C. (1998). Athletic performance development: volume load – 1 set vs. multiple sets, training velocity and training variation. *Strength & Cond.*, 20 (6), 22-31.
- Tang, S.F.T., Chen, C.-K., Hsu, R., Chou, S.-W., Hong, W.-H. & Lew, H.L. (2001). Vastus medialis obliquus and vastus lateralis activity in open and closed kinetic chain exercises in patients with patellofemoral pain syndrome: an electromyographic study. *Arch. Phys. Med. Rehabil.*, 82, 1441-1445.
- Tidow, G. (1999). Zur Wirkungsspezifität ausgewählter Krafttrainingsmethoden auf das neuromuskuläre System. *Orthopädische Praxis*, 35, 688-697.
- Toji, H., Suei, K. & Kaneko, M. (1997). Effects of combined training loads on relations among force, velocity, and power development. *Can. J. Appl. Physiol.*, 22, 328-336.
- Wilson, G.J., Newton, R.U., Murphy, A.J. & Humphries, B.J. (1993). The optimal training load for the development of athletic performance. *Med. Sci. Sports Exerc.*, 25, 1279-1286.