

Hagen Hartmann/Andreas Bob/Klaus Wirth/Dietmar Schmidtbleicher

Auswirkungen unterschiedlicher Periodisierungsmodelle im Krafttraining auf das Schnellkraft- und Explosivkraftverhalten der oberen Extremität

Literatur

- Ågaard, P., Simonsen, E.B., Andersen, J.L., Magnusson, P. & Dyhre-Poulsen, P. (2002). Increased rate of force development and neural drive of human skeletal muscle following resistance training. *Journal of Applied Physiology*, 93, 1318-1326.
- Ahtiainen, J. P., Pakarinen, A., Alen, M., Kraemer, W.J. & Häkkinen, K. (2005). Short vs. long rest period between the sets in hypertrophic resistance training: influence on muscle strength, size, and hormonal adaptations in trained men. *Journal of Strength and Conditioning Research*, 19 (3), 572-582.
- Ahtiainen, J. P., Pakarinen, A., Kraemer, W.J. & Häkkinen, K. (2003). Acute hormonal and neuromuscular responses and recovery to forced vs. maximum repetitions multiple resistance exercises. *International Journal of Sports Medicine*, 24, 410-418.
- Allen, D.G., Lännergren, J. & Westerblad, H. (1995). Muscle cell function during prolonged activity: cellular mechanisms of fatigue. *Experimental Physiology*, 80, 497-527.
- Baker, D., Wilson, G. & Carlyon, R. (1994). Periodization: The effect on strength of manipulating volume and intensity. *Journal of Strength and Conditioning Research*, 8 (4), 235-242.
- Bayer, G. (1999). *Untersuchungen zur Bewegungsgeschwindigkeit als Belastungskennziffer im Krafttraining sowie zur Schnellkraft- und Schnellkraftausdauerfähigkeit als Faktoren der Struktur personeller Leistungsvoraussetzungen in Ausdauersportarten am Beispiel von Rudersportlern*. Habilitationsschrift, Berlin.
- Bernardi, M., Felici, F., Marchetti, M., Montellanico, F., Piacentini, M.F. & Solomonow, M. (1998). Motor unit recruitment strategy changes with strength improvement. In A.J. Sargent & H. Siddons (Hrsg.): *From Community Health to Elite Sport - Proceedings of Third Annual Congress of the European College of Sport Science* (S. 220). Manchester 1998.
- Brandenburg, J. P. & Docherty, D. (2002). The effects of accentuated eccentric loading on strength, muscle hypertrophy, and neural adaptations in trained individuals. *Journal of Strength and Conditioning Research*, 16 (1), 25-32.
- Bührle, M. (1985). Dimensionen des Kraftverhaltens und ihre spezifischen Trainingsmethoden. In M. Bührle. (Hrsg.), *Grundlagen des Maximal- und Schnellkrafttrainings* (S. 83-111). Schorndorf: Hofmann.
- Bührle, M., Gollhofer, A., Kibele, A., Müller, K.-J., Schwirtz, A., Schweizer, L. & Strass, D. (1995). Theorie und Praxis des Krafttrainings. In K. Carl, K. Quade & P. Stehle (Hrsg.), *Krafttraining in der sportwissenschaftlichen Forschung* (S. 177-215). Köln: Sport und Buch Strauß.
- Bührle, M. & Schmidtbleicher, D. (1977). Der Einfluß von Maximalkrafttraining auf die Bewegungsgeschwindigkeit. *Leistungssport*, 7 (1), 3-10.
- Bührle, M. & Schmidtbleicher, D. (1981). Maximalkraft – Schnellkraft – Bewegungsgeschwindigkeit. In D. Augustin & N. Müller (Hrsg.), *Leichtathletiktraining im Spannungsfeld von Wissenschaft und Praxis* (S. 256-272). Niedernhausen/Ts: Schors.
- Campos, G.E.R., Luecke, T.J., Wendeln, H.K., Toma, K., Hagerman, F.C., Murray, T.F., Ragg, K.E., Ratamess, N.A., Kraemer, W.J. & Staron, R.S. (2002). Muscular adaptations in response to three different resistance-training regimens: specificity of repetition maximum training zones. *European Journal of Applied Physiology*, 88, 50-60.
- Cheng, A.J. & Rice, Ch.L. (2005). Fatigue and recovery of power and isometric torque following isotonic knee extensions. *Journal of Applied Physiology*, 99, 1446-1452.
- Chillibeck, P.D., Calder, A.W., Sale, G. & Webber, C.E. (1998). A comparison of strength and muscle mass increases during resistance training in young women. *European Journal of Applied Physiology* 77, 170-175.
- Crill, M., Campos, G., Staron, R.S., Hagerman, F.C., Luecke, T., Bailey, T., Kraemer, W.J. & Hikida, R.S. (1998). Different resistance training protocols and skeletal muscle fiber hypertrophy. *Medicine and Science in Sports and Exercise*, 30 (5, suppl.), S207.
- DePruft, E., Carbri, J., Dufour, W. & Clarys, J.P. (1988). Strength training and kick performance in soccer players. In T. Reilly, A. Lees, K. Davids & W. J. Murphy (Eds.), *Science and Football: Proceedings of the First World Congress of Science and Football* (pp. 108-113). London: E. & F.N. SPON.
- Desmedt, J.E. (1981). The size principle of motoneuron recruitment in ballistic or ramp voluntary contractions in man. In J. E. Desmedt (Ed.), *Motor Unit Types, Recruitment and Plasticity in Health and Disease. Progress in Clinical Neurophysiology*, vol. 9 (pp. 97-136). Basel, New York: Karger.
- Desmedt, J. E. & Godaux, E. (1977a). Ballistic contractions in man: characteristic recruitment pattern of single motor units of the tibialis anterior muscle. *Journal of Physiology*, 264, 673-693.
- Desmedt, J. E. & Godaux, E. (1977b). Fast motor units are not preferentially activated in rapid voluntary contractions in man. *Nature*, 267, 717-719.
- Desmedt, J. E. & Godaux, E. (1978). Ballistic contractions in fast or slow human muscles: discharge patterns of single motor units. *Journal of Physiology*, 285, 185-196.
- Desmedt, J. E. & Godaux, E. (1979). Voluntary motor commands in human ballistic movements. *Annals of Neurology*, 5, 415-421.
- Dons, B., Bollerup, K., Bonde-Petersen, F. & Hancke, S. (1979). The effect of weight-lifting exercise related to muscle fiber composition and muscle cross-sectional area in humans. *European Journal of Physiology*, 40, 95-106.
- Dutta, P. & Subramaniam, S. (2002). Effects of six weeks of isokinetic strength training combined with skill training on football kicking performance. In W. Spinks, T. Reilly & A. Murphy (Eds.), *Science and Football IV* (pp. 333-340). London: Routledge.
- Edman, K. A. P. (2003). Contractile performance of skeletal muscle fibres. In P. V. Komi (Ed.), *Strength and Power in Sport²* (pp. 114-133). Malden (USA): Blackwell Science.
- Ehrlenz, H., Grosser, M. & Zimmermann, E. (2003). *Krafttraining. Grundlagen, Methoden, Übungen, Leistungssteuerung, Trainingsprogramme*. München: BLV Sportwissen.
- Felici, F., Rosponi, A., Sbriccoli, P., Filligoi, G.C., Fattorini, L. & Marchetti, M. (2001). Linear and non-linear analysis of surface electromyograms in weightlifters. *European Journal of Applied Physiology*, 84, 337-342.
- Fichte, R. B., Güllich, A. & Schmidtbleicher, D. (1994). Entwicklung eines Meßverfahrens zur Geschwindigkeitsdiagnose an Krafttrainingsgeräten. In D. Schmidtbleicher & A. F. Müller (Hrsg.), *Leistungsdiagnostische und präventive Aspekte der Biomechanik* (S. 159-165). St. Augustin: Academia.
- Fitts, R.H. & Balog, E.M. (1996). Effect of intracellular and extracellular ion changes on E-C coupling and skeletal muscle fatigue. *Acta Physiologica Scandinavica*, 156, 169-181.
- Fitts, R.H. & Widrick, J.J. (1996). Muscle mechanics: adaptations with exercise-training. *Exercise and Sport Science Reviews*, 24, 427-473.
- Fleck, S.J. & Kraemer, W.J. (2004). *Designing resistance training programs²*. Champaign, IL: Human Kinetics.
- Frick, U., Wirth, K., Schlumberger, A. & Schmidtbleicher, D. (2000). Recovery following muscle hypertrophy strength training sessions with different training regimen – eccentric versus concentric muscle actions. In J. Avela, P.V. Komi & J. Komulainen, *5th Annual Congress of the European College of Sport Science* (pp. 270), Jyväskylä, Finland.
- Fry, A. C., Webber, J.M., Weiss, L.W., Harber, M.P., Vaczi, M. & Pattison, N.A. (2003a). Muscle fiber characteristics of competitive power lifters. *Journal of Strength and Conditioning Research*, 17 (2), 402-410.
- Fry, A. C., Schilling, B. K., Staron, R. S., Hagerman, F. C., Hikida, R. S. & Thrush, J.T. (2003b). Muscle fiber characteristics and performance correlates of male Olympic-style weightlifters. *Journal of Strength and Conditioning Research*, 17 (4), 746-754.
- Goldspink, G. & Harridge, S. (2003). Cellular and molecular aspects of adaptation in skeletal muscle. In P.V. Komi (Ed.), *Strength and Power in Sport²* (pp. 231-251). Malden (USA): Blackwell Science.
- Grantyn, K.Ch. (1939). In: *Theorie und Praxis der Körperkultur*, Moskau, 8 (7)
- Häkkinen, K. (1985). Factors influencing trainability of muscular strength during short term and prolonged training. *National Strength and Conditioning Association Journal*, 7 (2), 32-37.
- Häkkinen, K., Alén, M. & Komi, P.V. (1985). Changes in isometric force- and relaxation-time, electromyographic and muscle fibre characteristics of human skeletal muscle during strength training and detraining. *Acta Physiologica Scandinavica*, 125, 573-585.
- Häkkinen, K. & Häkkinen, A. (1991). Muscle cross-sectional area, force production and relaxation characteristics in women at different ages. *European Journal of Applied Physiology*, 62, 410-414.
- Häkkinen, K., Komi, P.V. & Alén, M. (1985). Effect of explosive type strength training on isometric force- and relaxation-time, electromyographic and muscle fibre characteristics of leg extensor muscles. *Acta Physiologica Scandinavica*, 125, 587-600.
- Hemmling, G. (1994). *Anpassungen des neuromuskulären Systems an eine neuentwickelte Trainingsmethode*. Köln: Sport und Buch Strauß.
- Heyden, G., Droste, J. & Steinhöfer, D. (1988). Zum Zusammenhang von Maximalkraft, Schnellkraft und Bewegungsgeschwindigkeit. *Leistungssport*, 18 (2), 39-46.
- Hoff, J. & Almasbakk, B. (1995). The effects of maximum strength training on throwing velocity and muscle strength in female team-handball players. *Journal of Strength and Conditioning Research*, 9 (4), 255-258.
- Ivanov, L., Krugliy, V. & Zinchenko, V. (1977). Individualized strength development for throwers. *Legkaya Atletika*, 11 (12), 138-139.
- Jostardt-Fögen, K., Billeter, R. & Hoppeler, H. (1997). Fiber type characteristics and myosin light chain expression in a world champion shot putter. *Schweizerische Zeitschrift für Sportmedizin und Sporttraumatologie*, 45, 160.
- Kanehisa, H. & Miyashita, M. (1983). Effect of isometric and isokinetic muscle training on static strength and dynamic power. *European Journal of Applied Physiology*, 50, 365-371.

- Kang, J., Hoffman, J.R., Im, J., Spiering, B.A., Ratamess, N.A., Rundell, K.W., Nioka, S., Cooper, J. & Chance, B. (2005). Evaluation of physiological responses during recovery following three resistance exercise programs. *Journal of Strength and Conditioning Research*, 19 (2), 305-309.
- Kibele, A. (1998). Maximalkraftzuwachs ohne Leistungsgewinn? *Leistungssport*, 28 (3), 45-49.
- Kibele, A., Müller, K.-J. & Bührle, M. (1989). Bilaterale Defizite bei willkürlichen Maximalkontraktionen. *Deutsche Zeitschrift für Sportmedizin*, 40 (4), 120-134.
- Kjær, M., Kalimo, H. & Saltin, B. (2003). Skeletal muscle: physiology, training and repair after injury. In: M. Kjær, M. Krogsgaard, P. Magnusson, L. Engebretsen, H. Roos, T. Takala & S.L-YWoo (Hrsg.), *Textbook of Sports Medicine* (S. 49-69). Blackwell Science: Oxford.
- Komi, P.V. & Buskirk, E.R. (1972). Effect of eccentric and concentric muscle conditioning on tension and electrical activity of human muscle. *Ergonomics*, 15 (4), 417-434.
- Kraemer, W. J. (1997). A series of studies – The physiological basis for strength training in American Football: Fact over philosophy. *Journal of Strength and Conditioning Research*, 11 (3), 131-142.
- Kraemer, W. J., Fleck, S. J. & Evans, W. J. (1996). Strength and power training: physiological mechanisms of adaptation. *Exercise and Sport Sciences Reviews*, 24, 363-397.
- Kraemer, W. J., Noble, B. J., Clark, M. J. & Culver, B. W. (1987). Physiological responses to heavy-resistance exercise with very short rest periods. *International Journal of Sports Medicine*, 8, 247-252.
- Kraemer, W. J., Ratamess, N., Fry, A. C. Triplett-McBride, T., Koziris, L. P., Bauer, J. A., Lynch, J. M. & Fleck, S. J. (2000). Influence of resistance training volume and periodization on physiological and performance adaptations in collegiate women tennis players. *The American Journal of Sports Medicine*, 28 (5), 626-633.
- Lachowetz, T., Evon, J. & Pastiglione, J. (1998). The effects of an upper body strength program on intercollegiate baseball throwing velocity. *Journal of Strength and Conditioning Research*, 12 (2), 116-119.
- Lüthi, J.-M., Gerber, C., Claassen, H. & Hoppeler, H. (1989). Die verletzte und die immobilisierte Muskelzelle: Ultrastrukturelle Betrachtungen. *Sportverletzung • Sportschaden*, 3, 58-61.
- MacDougall, J.D. (2003). Hypertrophy and Hyperplasia. In P.V. Komi (Hrsg.), *Strength and Power in Sport²* (pp. 252-264). Malden (USA): Blackwell Science.
- Maibürl, H. & Maassen, N. (2002). Ionenhomöostase, Muskelkontraktibilität und muskuläre Ermüdung. *Deutsche Zeitschrift für Sportmedizin*, 53 (9), 238-243.
- Malisoux, L., Francaux, M., Nielens, H. & Theisen, D. (2005). Stretch-shortening cycle exercises: an effective training paradigm to enhance power output of human single muscle fibers. *Journal of Applied Physiology*, 100, 771-779.
- Manolopoulos, E., Papadopoulos, C. & Kellis, E. (2006). Effects of combined strength and kick coordination training on soccer kick biomechanics in amateur players. *Scandinavian Journal of Medicine and Science in Sports*, 16 (2), 102-110.
- Marx, J., Ratamess, N. A., Nindl, B. C., Gotshalk, L. A., Volek, J. S., Dohi, K., Bush, J. A., Gomez, A. L., Mazzetti, S. A., Fleck, S. J., Häkkinen, K., Newton, R. U. & Kraemer, W. J. (2001). Low-volume circuit versus high-volume periodized resistance training in women. *Medicine and Science in Sports and Exercise*, 33 (4), 635-643.
- Matwejew, L.P. (1978). *Periodisierung des sportlichen Trainings⁵*. Berlin: Bartels und Wernitz.
- Mayhew, J.L., Ware, J.S., Johns, R.A. & Bemben, M.G. (1997). Changes in upper body power following heavy-resistance strength training in college-men. *International Journal of Sports Medicine* 18, S. 516-520
- Milner-Brown, H.S., Stein, R.B. & Lee, R.G. (1975). Synchronization of human motor units: possible roles of exercise and supraspinal reflexes. *Electroencephalography and Clinical Neurophysiology*, 38, 245-254.
- Moffroid, M.T. & Whipple, R.H. (1970). Specificity of speed of exercise. *Physical Therapy*, 50 (12), 1692-1699.
- Moritani, T. (2003). Motor unit and motoneurone excitability during explosive movement. In P.V. Komi (Ed.), *Strength and Power in Sport²* (pp. 27-49). Malden (USA): Blackwell Science.
- Moritani, T. & DeVries, H.A. (1979). Neural factors versus hypertrophy in the time course of muscle strength gains. *American Journal of Physical Medicine*, 58 (3), 115-130.
- Moss, B. M., Refsnes, P. E., Abildgaard, A., Nicolaysen, K. & Jensen, J. (1997). Effect of maximal effort strength training with different loads on dynamic strength, cross-sectional area, load-power and load-velocity relationships. *European Journal of Applied Physiology*, 75, 193-199.
- Müller, G. (1994). Adäquate Belastungsnormativa des Schnellkrafttrainings. In R. Brack, A. Hohmann & H. Wieland (Hrsg.), *Trainingssteuerung – konzeptionelle und trainingsmethodische Aspekte. Sportwissenschaft und Praxis, Band 6* (S. 207-211). Stuttgart: Nagelschmid.
- Müller, K.-J. (1987). Statische und dynamische Muskelkraft. *Freiburger Dissertationsschrift*. Frankfurt am Main: Deutsch.
- Murphy, A. J., Wilson, G. J., Pryor, J. F. & Newton, R. U. (1995). Isometric assessment of muscular function: the effect of joint angle. *Journal of Applied Biomechanics*, 11, 205-215.
- Narici, M.V., Hoppeler, H., Kayser, B., Landoni, L., Claassen, H., Gavardi, C., Conti, M. & Cerretelli, P. (1996). Human quadriceps cross-sectional area, torque and neural activation during 6 months strength training. *Acta Physiologica Scandinavica*, 157 (2), 175-186.
- Newton, R. U. & McEvoy, K.P. (1994). Baseball throwing velocity: A comparison of medicine ball training and weight training. *Journal of Strength and Conditioning Research*, 8 (3), 198-203.
- O'Bryant, H. S., Byrd, R. & Stone, M. H. (1988). Cycle ergometer performance and maximum leg and hip strength adaptations to two different methods of weight-training. *Journal of Applied Sport Science Research*, 2 (27), 27-30.
- Pampus, B. (2001). Schnellkrafttraining. *Theorie – Methoden – Praxis²*. Aachen: Meyer & Meyer.
- Peiper, U. (2000). Muskulatur. In R. Klinker & S. Silbernagl (Hrsg.), *Lehrbuch der Physiologie³* (S. 81-107). Stuttgart: Georg Thieme.
- Piacentini, M.F., Bernardi, M., Felici, F., Marino, S., Montellano, F. & Solomonow, M. (1998). Motoneuron adaptations to strength training. *Medicine and Science in Sports and Exercise*, 30, S. 227.
- Platonov, V. N. (1999). *Belastung – Ermüdung – Leistung: Der moderne Trainingsaufbau*. Band 34 der DSB-Trainerbibliothek. Münster: Philippka.
- Plisk, S. S. & Stone, M. H. (2003). Periodization strategies. *Strength and Conditioning Journal*, 25 (6), 19-37.
- Poliquin, C. (1988). Five steps to increasing the effectiveness of your strength training program. *National Strength and Conditioning Association Journal*, 10 (3), 34-39.
- Pryor, J.F., Wilson, G.J. & Murphy, A.J. (1994). The effectiveness of eccentric, concentric and isometric rate of force development tests. *Journal of Human Movement Studies*, 27, 153-172.
- Rhea, M. R., Ball, S. D., Phillips, W.T. & Burkett, L. N. (2002). A comparison of linear and daily undulating periodized programs with equated volume and intensity for strength. *Journal of Strength and Conditioning Research*, 16 (2), 250-255.
- Robergs, R.A. & Amann, M. (2003). Belastungsbedingte metabolische Azidose: Woher kommen die Protonen? *Österreichisches Journal für Sportmedizin*, 3, 11-25
- Robergs, R.A., Pearson, D.R., Costill, D.L., Fink, W.J., Pascoe, D.D., Benedict, M.A., Lambert, C.P. & Zachweija, J.J. (1991). Muscle glycogenolysis during differing intensities of weight-resistance exercise. *Journal of Applied Physiology*, 70 (4), 1700-1706.
- Rutherford, O. M. & Jones, D. A. (1986). The role of learning and coordination in strength training. *European Journal of Applied Physiology*, 55, 100-105.
- Sahlin, K. (2006). Metabolic factors in fatigue. In M. Har-greaves & L. Spriet (Eds.), *Exercise metabolism²* (pp. 163-186). Champaign, IL: Human Kinetics.
- Sale, D.G. (2003). Neural adaptation to strength training. In P.V. Komi (Ed.), *Strength and Power in Sport²* (pp. 281-314). Malden (USA): Blackwell Science.
- Schlumberger, A. (2000). *Optimierung von Trainingsstrategien im Schnellkrafttraining*. Bundesinstitut für Sportwissenschaft. Köln: Sport und Buch Strauß.
- Schlumberger, A., Scheuer, S. & Schmidtbleicher D. (1999). Effects of strength training with superimposed vibrations. *Proceedings of the 4th annual Congress of the European College of Sport Science* (p. 416). Rom.
- Schlumberger, A. & Schmidtbleicher, D. (1998). Zeitlich verzögerte Effekte beim Krafttraining. *Leistungssport*, 28 (3), 33-38.
- Schmidtbleicher, D. (1980). *Maximalkraft und Bewegungsschnelligkeit*. Bad Homburg: Limpert.
- Schmidtbleicher, D. (1994). Training for Power Events. In P.V. Komi (Ed.), *Strength and Power in Sport²* (pp. 381-395). Cambridge (USA): Blackwell Science.
- Schmidtbleicher, D. (2003). Motorische Eigenschaft Kraft: Struktur, Komponenten, Anpassungserscheinungen, Trainingsmethoden und Periodisierung. In W. Fritsch (Hrsg.), *Rudern – erfahren, erkunden, erforschen* (S. 15-40). Gießen: Sport Media.
- Schmidtbleicher, D. & Bührle, M. (1987). Neuronal adaptation and increase of cross sectional area studying different strength training methods. In B. Jonsson (Hrsg.), *International Series on Biomechanics. Biomechanics X-B*. (pp. 615-620). Champaign, IL: Human Kinetics.
- Schmidtbleicher, D. & Frick, U. (1998). Kurzfristige und langfristige Regeneration nach Krafttraining. In Bundesinstitut für Sportwissenschaft (Hrsg.), *BISp Jahrbuch 1997* (S. 221-226). Köln.
- Schmidtbleicher, D. & Haralambie, G. (1981). Changes in contractile properties of muscle after strength training in man. *European Journal of Applied Physiology*, 46, 221-228.
- Schmidtbleicher, D. & Hemmling, G. (1994). Auswirkungen einer neuartigen Trainingsmethode auf die Komponenten des Kraftverhaltens und deren neuromuskuläre und metabolische Einflußgrößen. In K. Carl, K. Quade & P. Stehle (Hrsg.), *Krafttraining in der sportwissenschaftlichen Forschung* (S. 374-390). Köln: Sport und Buch Strauß.
- Stone, M. H., O'Bryant, H. & Garhammer, J. (1981). A hypothetical model for strength training. *Journal of Sports Medicine*, 21, 342-351.
- Stone, M. H., O'Bryant, H., Garhammer, J., McMillan, J. & Rozenek, R. (1982). A theoretical model of strength training. *National Strength Coaches Association Journal*, 4 (4), 36-39.
- Stone, M. H., Potteiger, J. A., Pierce, K. C., Proulx, C. M., O'Bryant, H. S., Johnson, R. L. & Stone M. E. (2000). Comparison of the effects of three different weight-training programs on the one repetition maximum squat. *Journal of Strength and Conditioning Research*, 14 (3), 332-337.
- Stowers, T., McMillan, J., Scala, D., Davis, V., Wilson, D. & Stone, M. (1983). The short-term effects of three different strength-power training methods. *National Strength and Conditioning Association Journal*, 5 (3), 24-27.
- Tanji, J. & Kato, M. (1981). Activity of low- and high-threshold motor units of abductor digiti quinti in slow and fast voluntary contractions. In J. E. Desmedt (Ed.), *Motor Unit Types, Recruitment and Plasticity in Health and Disease. Progress in Clinical Neurophysiology*, vol. 9 (pp. 137-144). Basel, New York: Karger.
- Tesch, P.A. & Alkner, B. A. (2003). Acute and chronic muscle metabolic adaptations to strength training. In P.V. Komi (Ed.), *Strength and Power in Sport²* (pp. 265-280). Malden (USA): Blackwell Science.
- Tesch, P.A., Colliander, E.B. & Kaiser, P. (1986). Muscle metabolism during intense, heavy-resistance exercise. *European Journal of Applied Physiology*, 55, 362-366.
- Thorstensson, A., Karlsson, J., Viitasalo, J.H.T., Luhtanen, P. & Komi, P.V. (1976). Effect of strength training on EMG of human skeletal muscle. *Acta Physiologica Scandinavica*, 98, 232-236.
- Van Cutsem, M., Duchateau, J. & Hainaut, K. (1998). Changes in single motor unit behaviour contribute to the increase in contraction speed after dynamic training in humans. *Journal of Physiology*, 513 (1), 295-305.
- Warren, G. L., Ingalls, C. P., Lowe, D. A. & Armstrong, R. B. (2001). Excitation-contraction uncoupling: major role in contraction-induced muscle injury. *Exercise and Sport Sciences Reviews*, 29 (2), 82-87.
- Weigelt, S. (1997). *Die sportliche Bewegungsschnelligkeit*. Bundesinstitut für Sportwissenschaft. Köln: Sport und Buch Strauß.
- Widrick, J.J., Stelzer, J.E., Shoenke, T.C. & Garner, D.P. (2002). Functional properties of human muscle fibers after short-term resistance exercise training. *American Journal of Physiology – Regulatory, Integrative and Comparative Physiology*, 283, R408-R416.
- Willoughby, D. S. (1991). Training volume equated: A comparison of periodized and progressive resistance weight training programs. *Journal of Human Movement Studies*, 21, 233-248.
- Willoughby, D. S. (1992). A comparison of three selected weight training programs on the upper and lower body strength of trained males. *Applied Research in Coaching and Athletics Annual*, 3, 124-146.

Wirth, K. (2004). *Trainingshäufigkeit beim Hypertrophietraining. Dissertationsschrift.* Frankfurt am Main.

Wirth, K. & Schmidtbleicher, D. (2007). Periodisierung im Schnellkrafttraining. Teil 1: Physiologische Grundlagen des Schnellkrafttrainings. *Leistungssport*, 37 (1), 35-40.

Zatsiorsky, V. M. (2000). Krafttraining. *Praxis und Wissenschaft*². Aachen: Meyer & Meyer.

*

Die Autoren

Hagen HARTMANN, wissenschaftlicher Mitarbeiter am Institut für Sportwissenschaften der Johann Wolfgang Goethe-Universität Frankfurt am Main, Arbeitsbereich Trainings- und Bewegungswissenschaften

Andreas BOB, wissenschaftlicher Mitarbeiter am o. g. Institut

Dr. Klaus WIRTH, wissenschaftlicher Mitarbeiter am o. g. Institut

Prof. Dr. Dietmar SCHMIDTBLEICHER, Lehrstuhlinhaber für Sportwissenschaften am o. g. Institut

Anschrift: Hagen Hartmann, Kapellenstr. 17a, 65439 Flörsheim

E-Mail: Hagen-Hartmann@online.de