

# Auswirkungen eines exzentrischen Krafttrainings für die untere Extremität auf unterschiedliche Maximal- und Schnellkraftparameter

## Literatur

- Aagaard, P., Simonsen, E. B., Andersen, J. L., Magnusson, S. P. & Dyhre-Poulsen, P. (2002). Increased rate of force development and neuronal drive of human skeletal muscle following resistance training. *Journal of Applied Physiology*, 93, 1318-1326.
- Abe, T., DeHoyos, D. V., Pollock, M. L. & Garzalla, L. (2000). Time course for strength and muscle thickness changes following upper and lower body resistance training in men and women. *European Journal of Applied Physiology*, 81, 174-180.
- Adams, K., O'Shea, J. P., O'Shea, K. L. & Climstein, M. (1992). The effect of six weeks of squat, plyometric and squat-plyometric training on power production. *Journal of Applied Sport Science Research*, 6 (1), 36-41.
- Akima, H., Takahashi, H., Kuno, S.-Y., Masuda, K., Masuda, T., Shimojo, H., Anno, I., Itai, Y. & Katsuta, S. (1999). Early phase adaptations of muscle use and strength to isokinetic training. *Medicine and Science in Sports and Exercise*, 31 (4), 588-594.
- Allen, G. M., Gandevia, S. C. & McKenzie, D. K. (1995). Reliability of measurements of muscle and voluntary activation using twitch interpolation. *Muscle & Nerve*, 18, 593-600.
- Almåsbaek, B. & Hoff, J. (1996). Coordination, the determinant of velocity specificity? *Journal of Applied Physiology*, 80 (5), 2046-2052.
- Andersen, L. L. & Aagaard, P. (2006). Influence of maximal muscle strength and intrinsic muscle contractile properties on contractile rate of force development. *European Journal of Applied Physiology*, 96, 46-52.
- Andersen, L. L., Andersen, J. L., Magnusson, S. P., & Aagaard, P. (2005a). Neuromuscular adaptations to detraining following resistance training in previously untrained subject. *European Journal of Applied Physiology*, 93, 511-518.
- Andersen, L. L., Andersen, J. L., Magnusson, S. P., Suetta, C., Madsen, J. L., Christensen, L. R. & Aagaard, P. (2005b). Changes in the human muscle force-velocity relationship in response to resistance training and subsequent detraining. *Journal of Physiology*, 99, 87-94.
- Anderst, W. J., Eksten, F. & Kocejka, D. M. (1994). Effects of plyometric and explosive resistance training on lower body power. *Medicine and Science in Sports and Exercise*, 26 (Suppl.), 31.
- Atha, J. (1981). Strengthening muscle. *Exercise and Sports Science Review*, 9, 1-73.
- Behm, D. G. & Sale, D. G. (1993). Intended rather than actual movement velocity determines the velocity-specific response. *Journal of Applied Physiology*, 74, 359-368.
- Bell, G. J., Petersen, S. R., Wessel, J., Bagnall, K. & Quinney, H. A. (1991). Physiological adaptations to concurrent endurance training and low velocity resistance training. *International Journal of Sports Medicine*, 12 (4), 384-390.
- Berger, R. A. (1963). Effects of dynamic and static training on vertical jumping ability. *The Research Quarterly*, 34 (4), 419-424.
- Blattner, S. E. & Noble, L. (1979). Relative effects of isokinetic and plyometric training on vertical jumping performance. *The Research Quarterly*, 50 (4), 583-588.
- Blazevich, A. J., Cannavan, D., Coleman, D., Horne, S. & Aagaard, P. (2006). Effect of concentric- and eccentric-only strength training, and detraining, on the rate of force development of human skeletal muscle. In P. Aagaard, K. Madsen, P. Magnusson & J. Bojsen-Møller (Eds.), *Strength Training for Sport Health and Rehabilitation – 5<sup>th</sup> International Conference on Strength Training 18<sup>th</sup>-21<sup>st</sup> October* (pp. 104 f.).
- Bührle, M. (1993). Schnellkraft – Theoretisches Konstrukt – physiologischer Hintergrund und Bedingungsstruktur – diagnostische Erfassung – spezifische Trainingsmethoden. *Spectrum der Sportwissenschaft*, 2, 5-29.
- Bührle, M., Müller, K.-J. & Schmidtbleicher, D. (1982). Schlagkraft und Bewegungsschnelligkeit des Boxers. *Leistungssport*, 12 (3), 246-248.
- Bührle, M. & Schmidtbleicher, D. (1977). Der Einfluß von Maximalkrafttraining auf die Bewegungsschnelligkeit. *Leistungssport*, 7 (1), 3-10.
- Bührle, M., Schmidtbleicher, D. & Ressel, H. (1983). Die spezielle Diagnose der einzelnen Kraftkomponenten im Hochleistungssport. *Leistungssport*, 13 (3), 11-16.
- Butcher, S. J., Craven, B. R., Sprigings, E. J. C., Chilibeck, P. D. & Spink, K. S. (2001). Influence of trunk stability and leg strength training on vertical take-off velocity in athletes. *Medicine and Science in Sport and Exercise*, 33 (5, Suppl.), S158.
- Capen, E. K. (1950). The effect of systematic weight training on power, strength, and endurance. *The Research Quarterly*, 21, 83-93.
- Clutch, D., Wilton, M., McGowan, C. & Bryce, G. R. (1983). The effects of depth jumps and weight training on leg strength and vertical jump. *Research Quarterly for Exercise and Sport*, 54, 5-10.
- Coleman, D. R., Horne, S., Cannavan, D., Wytch, P., Blazevich, A. J. & Godfrey, R. (2006). The effect of 10 weeks of concentric and eccentric strength training on quadriceps muscle distribution. *Medicine and Science in Sports and Exercise*, 38 (5, Suppl.), S289.
- Colson, S., Pousson, M., Martin, A. & van Hoecke, J. (1999). Isokinetic elbow flexion and coactivation following eccentric training. *Journal of Electromyography and Kinesiology*, 9, 13-20.
- Costello, F. (1984). Using weight training and plyometrics to increase explosive power for football. *National Strength and Conditioning Association Journal*, 6 (2), 22-25.
- Cornu, C., Lambert, D. & Goubel, F. (2000). Changes in muscle and joint stiffness induced by plyometric training. *Sci. Motric.*, 39, 87f.
- Côté, C., Simoneau, J., Lagasse, P., Boulay, M., Thibault, M., Marcotte, M. & Bouchard, C. (1988). Isokinetic strength training protocols: do the sinuque skeletal muscle fiber hypertrophy? *Arch. Phys. Med. Rehabil.*, 69, 281-285.
- Davies, J., Parker, D. F., Rutherford, O. M. & Jones, D. A. (1988). Changes in strength and cross sectional area of the elbow flexors as a result of isometric strength training. *European Journal of Applied Physiology*, 57, 667-670.
- Doss, W. S. & Karpovich, P. V. (1965). A comparison of concentric, eccentric, and isometric strength of elbow flexors. *Journal of Applied Physiology*, 20 (2), 351-353.
- Dudley, G. A., Tesch, P. A., Miller, B. J. & Buchanan, P. (1991). Importance of eccentric actions in performance adaptations to resistance training. *Aviation Space and Environmental Medicine*, 62, 543-550.
- Duncan, P. W., Chandler, J. M., Cavanaugh, D. K., Johnson, K. R. & Buehler, A. G. (1989). Mode and speed specificity of eccentric and concentric exercise training. *Journal of Orthopaedic and Sports Physical Therapy*, 11, 70-75.
- Eioranta, V. & Komi, P. V. (1980). Function of the quadriceps femoris muscle under maximal concentric and eccentric contractions. *Electromyography and Clinical Neurophysiology*, 20, 159-174.
- Fagan, C. D. & Doyle-Baker, P. K. (2000). The effects of maximum strength and power training combined with plyometrics on athletic performance. *Medicine and Science in Sports and Exercise*, 32 (5, Suppl.), 152.
- Farthing, J. P. & Chilibeck, P. D. (2003b). The effects of eccentric and concentric training at different velocities on muscle hypertrophy. *European Journal of Applied Physiology*, 89, 578-586.
- Ford, H. T., Puckett, J. R., Drummond, J. P., Sawyer, K., Gantt, K. & Fussell, C. (1983). Effects of three combinations of plyometric and weight training programs on selected physical fitness test items. *Perceptual and Motor Skills*, 56, 919-922.
- Fry, A. C., Kraemer, W. J., Weseman, C. A. & Conroy, B. P. (1991). The effects of an off-season strength and conditioning program on starters and non-starters in women's intercollegiate volleyball. *Journal of Applied Sport Science Research*, 5 (4), 174-181.
- Häkkinen, K., Alén, M. & Komi, P. V. (1985a). Changes in isometric force- and relaxation-time, electromyographic and muscle fibre characteristics of human muscle during strength training and detraining. *Acta Physiologica Scandinavica*, 125, 573-585.
- Häkkinen, K. & Häkkinen, A. (1995). Neuromuscular adaptations during intensive strength training in middle-aged and elderly males and females. *Electromyography and Clinical Neurophysiology*, 35, 137-147.
- Häkkinen, A., Häkkinen, K., Hannonen, P. & Alén, M. (2001a). Strength training induced adaptations in neuromuscular function of premenopausal women with fibromyalgia: comparison with healthy women. *Annals of the Rheumatic Diseases*, 60, 21-26.
- Häkkinen, K., Kallinen, M., Izquierdo, M., Jokelainen, K., Lassila, H., Mälikä, E., Kraemer, W. J., Newton, R. U. & Alén, M. (1998a). Changes in agonist-antagonist EMG, muscle CSA, and force during strength training in middle-aged and older people. *Journal of Applied Physiology*, 84 (4), 1341-1349.
- Häkkinen, K., Kauhainen, H. & Komi, P. V. (1985b). Merkmale neuromuskulärer Leistungskapazität bei Gewichthebern nationalen und regionalen Niveaus. *Leistungssport*, 15 (5), 35-41.
- Häkkinen, K. & Komi, P. V. (1985). Effect of explosive type strength training on electromyographic and force production characteristics of leg extensor muscles during concentric and various stretch-shortening cycle exercises. *Scandinavian Journal of Sports Sciences*, 7 (2), 65-76.
- Häkkinen, K., Kraemer, W. J., Newton, R. U. & Alén, M. (2001b). Changes in electromyographic activity, muscle fibre and force production characteristics during heavy resistance/power strength training in middle-aged and older men and women. *Acta Physiologica Scandinavica*, 171, 51-62.
- Häkkinen, K., Newton, R. U., Gordon, S. E., McCormick, M., Volek, J. S., Nindl, B. C., Gotshalk, L. A., Campbell, W. W., Evans, W. J., Häkkinen, A., Humphries, B. J. & Kraemer, W. J. (1998b). Changes in muscle morphology, electromyographic activity, and force production characteristics during progressive strength training in young and older men. *Journal of Gerontology: Biological Sciences*, 53A (6), B415-B423.
- Häkkinen, K., Pakarinen, A., Kyrröläinen, H., Cheng, S., Kim, D. H. & Komi, P. V. (1990). Neuromuscular adaptations and serum hormones in females during prolonged power training. *International Journal of Sports Medicine*, 11, 91-98.
- Hather, B. M., Tesch, P. A., Buchanan, P. & Dudley, G. A. (1991). Influence of eccentric actions on skeletal muscle adaptations to resistance training. *Acta Physiologica Scandinavica*, 143, 177-185.

- Hawkins, S. A., Schroeder, E. T., Wiswell, R. A., Jaque, S. V., Marcell, T. J. & Costa, K. (1999). Eccentric muscle action increases site-specific osteogenic response. *Medicine and Science in Sports and Exercise*, 31 (9), 1287-1292.
- Heyden, G., Droste, J. & Steinhöfer, D. (1988). Zum Zusammenhang von Maximalkraft, Schnellkraft und Bewegungsschnelligkeit. *Leistungssport*, 18 (2), 39-46.
- Higbie, E. J., Cureton, K. J., Warren III, G. L. & Prior, B. M. (1996). Effects of concentric and eccentric training on muscle strength, cross-sectional area, and neuronal activation. *Journal of Applied Physiology*, 81, 2173-2181.
- Hoff, J. (2001). Maximal strength training enhances running economy and aerobic endurance performance. *Medicine and Science in Sports and Exercise*, 33 (5, Suppl.), 270.
- Hoff, J. & Berdahl, G. O. (2000). Load dependent strength training effects on power production and performance. *Medicine and Science in Sports and Exercise*, 32 (5, Suppl.), 152.
- Holtz, J., Divine, J. & McFarland, C. (1988). Vertical jump improvement following preseason plyometric training. *Journal of Applied Sport Science Research*, 2 (3), 59.
- Horn, B.-G., Popper, E. M., Shim, J., Pearson, D. & Kraemer, W. J. (2002). A new eccentric squat test specific to alpine skiing. *Medicine and Science in Sports and Exercise*, 34 (5, Suppl. 1), S34.
- Hortobagyi, T., Barrier, J., Beard, D., Braspeninx, J., Koenig, P., Devita, P., Dempsey, L. & Lambert, J. (1996b). Greater initial adaptations to submaximal muscle lengthening than maximal shortening. *Journal of Applied Physiology*, 81 (4), 1677-1682.
- Hortobagyi, T., Devita, P., Money, J. & Barrier, J. (2001). Effects of standard and eccentric overload strength training in young women. *Medicine and Science in Sports and Exercise*, 33 (7), 1206-1212.
- Hortobagyi, T., Hill, J. P., Houmard, J. A., Fraser, D. D., Lambert, N. & Israel, R. G. (1996a). Adaptive response to muscle lengthening and shortening in humans. *Journal of Applied Physiology*, 80 (3), 765-772.
- Hortobagyi, T., Katch, F. I. & LaChance, P. F. (1989). Interrelationships among measures of upper body strength assessed by different contraction modes. *European Journal of Applied Physiology*, 58, 749-755.
- Johnson, J. H., Adamczyk, K. J. W., Tennøe, K. O. & Strømme, S. B. (1976). A comparison of concentric and eccentric muscle training. *Medicine and Science in Sports*, 8, 35-38.
- Kinugasa, R., Kawakami, Y. & Fukunaga, T. (2005). Three-dimensional activation properties of triceps surae muscles during concentric and eccentric contractions using muscle functional MRI. *Medicine and Science in Sports and Exercise*, 37 (5, Suppl.), S440 f.
- Kojedal, Ø., Kvamme, B., Losnegard, T., Rønnestad, B. R. & Raastad, T. (2009). The effect of heavy strength training on performance and muscle adaptations in elite nordic combined athletes. In S. Loland, K. Bø, K. Fasting, J. Hallén, Y. Ommundsen, G. Roberts & E. Tsolakidis (Eds.), *Book of abstracts, 14<sup>th</sup> annual Congress of the European College of Sports Sciences, Oslo/Norway June 24-27 2009* (p. 204).
- Komi, P. V. (1973b). Measurement of the force-velocity relationship in human muscle under concentric and eccentric contractions. In S. Cerquiglini, A. Venerando & J. Wartenweiler (Eds.), *Biomechanics III, Medicine and Sport - Vol. 8* (pp. 224-229). Basel: S. Karger AG Verlag für Medizin und Naturwissenschaft.
- Komi, P. V. & Buskirk, E. (1972). Effect of eccentric and concentric muscle conditioning on tension and electrical activity of human muscle. *Ergonomics*, 15, 417-434.
- Komi, P. V., Linnamo, V., Silventoinen, P. & Sillanpää, M. (2000). Force and EMG power spectrum during eccentric and concentric actions. *Medicine and Science in Sports and Exercise*, 32 (10), 1757-1762.
- Komi, P. V. & Rusko, H. (1974). Quantitative evaluation of mechanical and electrical changes during fatigue loading of eccentric and concentric work. *Scandinavian Journal of Rehabilitation Medicine*, 6 (3, Suppl.), 121-126.
- Kraemer, W. J. & Häkkinen, K. (2000) (Hrsg.), *Strength Training for Sport*. Oxford: Blackwell Science.
- Leonid, C. & Gundega, K. (2000). Muscle contraction process relationship comparing top weightlifters to power lifters. In C. P. Lee (Ed.), *2<sup>nd</sup> International Conference on Weightlifting and Strength Training, Malaysia*, (p. 61).
- Letzelter, H. & Letzelter, M. (1990). *Krafttraining*. Reinbek bei Hamburg: Rowohlt Taschenbuch Verlag.
- Linnamo, V., Strojnik, V. & Komi, P. V. (2002). EMG power spectrum and features of the superimposed M-wave during voluntary eccentric and concentric actions at different activation levels. *European Journal of Applied Physiology*, 86, 534-540.
- Lüthi, J. M., Howald, H., Claassen, H., Rösler, K., Vock, P. & Hoppeler, H. (1986). Structural changes in skeletal muscle tissue with heavy-resistance exercise. *International Journal of Sports Medicine*, 7, 123-127.
- Mazzetti, S. A., Kraemer, W. J., Volek, J. S., Nindl, B. C., Gotshalk, L. A. & Gomez, A. L. (2000). The effect of different training programs on upper body power in women. *Medicine and Science in Sports and Exercise*, 32 (5, Suppl.), 153.
- Michaut, A., Babault, N. & Pousson, M. (2004). Specific effects of eccentric training on muscular fatigability. *International Journal of Sports Medicine*, 25, 278-283.
- Moritani, T. & DeVries, H. A. (1979). Neural factors versus hypertrophy in the time course of muscle strength gain. *American Journal of Medicine*, 58, 115-130.
- Mouraux, D., Stallenberg, B., Dugailly, P.-M. & Brassine, E. (2000). The effect of submaximal eccentric isokinetic training on strength and cross sectional area of the human achilles tendon. *Isokinetics and Exercise Science*, 8, 161-167.
- Müller, K.-J. (1987). *Statische und dynamische Muskelkraft - Eine empirische Grundlagenforschung*. Frankfurt/Main: Verlag Harri Deutsch.
- Murphy, A. J., Wilson, G. J. & Pryor, J. F. (1994). Use of the iso-inertial force mass relationship in the prediction of dynamic human performance. *European Journal of Applied Physiology*, 69, 250-257.
- Narici, M. V., Roi, G. S., Landoni, L., Minetti, A. E. & Cerretelli, P. (1989). Changes in force, cross-sectional area and neuronal activation during strength training and detraining of human quadriceps. *European Journal of Applied Physiology*, 59, 310-319.
- Nosaka, K. & Newton, M. (2002). Repeated eccentric exercise bouts do not exacerbate muscle damage and repair. *Journal of Strength and Conditioning Research*, 16 (1), 117-122.
- O'Hagan, F. T., Sale, D. G., MacDougall, J. D. & Garner, S. H. (1995). Comparative effectiveness of accommodating and weight resistance training modes. *Medicine and Science in Sports Exercise*, 27, 1210-1219.
- O'Shea, K. L. & O'Shea, J. P. (1989). Functional isometric weight training: it's effects on dynamic and static strength. *Journal of Applied Sport Science Research*, 3 (2), 30-33.
- Paddon-Jones, D., Leveritt, M., Lonergan, A. & Abernethy, P. (2001). Adaptation to chronic eccentric exercise in humans: the influence of contraction velocity. *European Journal of Applied Physiology*, 85, 466-471.
- Pearce, A. J., Grikelis, L. A. & Kidgell, D. J. (2009). Neural adaptations following strength training in children and adolescents: A TMS pilot study. In: S. Loland, K. Bø, K. Fasting, J. Hallén, Y. Ommundsen, G. Roberts & E. Tsolakidis (Eds.), *Book of Abstracts, 14<sup>th</sup> annual Congress of the European College of Sports Sciences, Oslo/Norway June 24-27, 2009*, 349.
- Pearson, S. J., Young, A., Macaluso, A., Devito, G., Nimmo, M. A., Cobbold, M. & Harridge, S. D. R. (2002). Muscle function in elite master weightlifters. *Medicine and Science in Sports and Exercise*, 34, 1199-1206.
- Petersen, S., Wessel, J., Bagnall, K., Wilkins, H., Quinney, A. & Wenger, H. (1990). Influence of concentric resistance training on concentric and eccentric strength. *Archives of Physical Medicine and Rehabilitation*, 71, 101-105.
- Polhemus, R. & Burkhardt, E. (1980). The effects of plyometric training drills on the physical strength gains of collegiate football players. *National Strength Coaches Association Journal*, 2 (5), 14-17.
- Polhemus, R., Burkhardt, E., Osina, M. & Patterson, M. (1980). The effects of plyometric training with ankle and vest weights on conventional weight training programs for men and women. *National Strength Coaches Association Journal*, 2 (1), 13-17.
- Pousson, M., Van Hoecke, J. & Goubel, F. (1990). Changes in elastic characteristics of human muscle induced by eccentric exercise. *Journal of Biomechanics*, 23, 343-348.
- Rabita, G., Pérot, C. & Lenseil-Corbeil, G. (2000). Differential effect of knee extension isometric training on the different muscles of the quadriceps femoris in humans. *European Journal of Applied Physiology*, 83, 531-538.
- Raue, U., Terpstra, B., Williamson, D. L., Gallagher, P. M. & Trappe, S. W. (2005). Effects of short-term concentric vs. eccentric resistance training on single muscle fiber MHC distribution in humans. *International Journal of Sports Medicine*, 26, 339-343.
- Sale, D. G., Martin, J. E. & Moroz, D. E. (1992). Hypertrophy without increased isometric strength after weight training. *European Journal of Applied Physiology*, 64, 51-55.
- Schmidtbleicher, D. (1980). *Maximalkraft und Bewegungsschnelligkeit. Beiträge zur Bewegungsforschung im Sport - Band 3*. Bad Homburg: Limpert Verlag.
- Schmidtbleicher, D. & Bührle, M. (1979). Vergleich von konzentrischem und exzentrischem Maximalkrafttraining. *Ab-schlussbericht zum BISP-Forschungsprojekt „Exzentrisches Maximalkrafttraining“*.
- Schroeder, E. T., Hawkins, S. A. & Jaque, S. V. (2004). Musculo-skeletal adaptations to 16 weeks of eccentric progressive resistance training in young women. *Journal of Strength and Conditioning Research*, 18 (2), 227-235.
- Seger, J. Y., Arvidsson, B. & Thorstensson, A. (1998). Specific effects of eccentric and concentric training on muscle strength and morphology in humans. *European Journal of Applied Physiology*, 79, 49-57.
- Seger, J. Y. & Thorstensson, A. (2005). Effects of eccentric versus concentric training on thigh muscle strength and EMG. *International Journal of Sports Medicine*, 26, 45-52.
- Seliger, V., Dolejs, L. & Karas, V. (1980). A dynamometric comparison of maximum eccentric, concentric, and isometric contractions using EMG and energy expenditure measurements. *European Journal of Applied Physiology*, 45, 235-244.
- Shima, N., Ishida, K., Katayama, K., Morotome, Y., Sato, Y. & Miyamura, M. (2002). Cross education of muscular strength during unilateral resistance training and detraining. *European Journal of Applied Physiology*, 86, 287-294.
- Shimp-Bowerman, J. A., Adams, K. J., Durham, M. P., Berning, J. M., Kipp, R. L. & Barnard, K. L. (2000). Four weeks of high intensity strength training increases 1RM squat and vertical jump in trained women. *Medicine and Science in Sports and Exercise*, 32 (5, Suppl.), 150.
- Silvester, L. J., Stiggins, C., McGown, C. & Bryce, G. R. (1982). The effect of variable resistance and free-weight training programs on strength and vertical jump. *National Strength and Conditioning Association Journal*, 3 (6), 30-33.
- Singh, M. & Karpovich, P. V. (1966). Isotonic and isometric force of forearm flexors and extensors. *Journal of Applied Physiology*, 21 (4), 1435-1437.
- Staron, R. S., Leonardi, M. J., Karapondo, D. L., Malicky, E. S., Falkel, J. E., Hagerman, F. C. & Hikida, R. S. (1991). Strength and skeletal muscle adaptations in heavy-resistance-trained women after detraining and retraining. *Journal of Applied Physiology*, 70, 631-640.
- Stone, M. H., Johnson, R. L. & Carter, D. R. (1979). A short term comparison of two different methods of resistance training on leg strength and power. *Athletic Training*, 14, 158-160.
- Stowers, T., McMillan, J. & Scala, D. (1983). The short-term effects of three different strength-power training methods. *National Strength and Conditioning Association Journal*, 5 (3), 24-27.
- Tokeshi, S. A., Kraemer, W. J., Nindl, B. C., Gotshalk, L. A., Marx, J. O., Harman, F. S., Lamont, H. S., Sebastianelli, W. J., Putukian, M., Fleck, S., Newton, R. U. & Häkkinen, K. (1998). Power and strength in women: adaptations following six months of resistance training. *Medicine and Science in Sports and Exercise*, 30 (5, Suppl.), 165.
- Toumi, H., Best, T. M., Martin, A. & Poumarat, G. (2004). Muscle plasticity after weight and combined (weight + jump) training. *Medicine and Science in Sports and Exercise*, 36 (9), 1580-1588.
- Toumi, H., Thiery, C., Maitre, S., Martin, A., Vanneville, G. & Poumarat, G. (2001). Training effects of amortization phase with eccentric/concentric variations - the vertical jump. *International Journal of Sports Medicine*, 22, 605-610.
- Trzaskoma, Z. & Trzaskoma, L. (2000). The effect of plyometric and weight training on leg strength and vertical jump performance. In C. P. Lee (Ed.), *2<sup>nd</sup> International Conference on Weightlifting and Strength Training, Malaysia*, (p. 101).
- Venble, M. P., Collins, M. A., O'Bryen, H. S., Denegar, C. R., Sedivec, M. J. & Alon, G. (1991). Effect of supplemental electrical stimulation on the development of strength, vertical jump performance and power. *Journal Applied Sport Science Research*, 5, 139-143.
- Westing, S. H., Cresswell, A. G. & Thorstensson, A. (1991). Muscle activation during maximal voluntary eccentric and concentric knee extension. *European Journal of Applied Physiology*, 62, 104-108.

Westing, S. H., Seger, J. Y., Karlson, E. & Ekblom, B. (1988). Eccentric and concentric torque-velocity characteristics of the quadriceps femoris in man. *European Journal of Applied Physiology*, 58, 100-104.

Wilson, G. J., Murphy, A. J. & Giorgi, A. (1996). Weight and plyometric training: effects on eccentric and concentric force production. *Canadian Journal of Applied Physiology*, 21 (4), 301-315.

Wirth, K. (2007). *Trainingshäufigkeit beim Hypertrophie-training*. Köln: Sport & Buch Strauß.

Young, A., Stokes, M., Round, J. M. & Edwards, R. H. T. (1983). The effect of high-resistance training on the strength and cross-sectional area of the human quadriceps. *European Journal of Clinical Investigation*, 13, 411-417.

Young, W. B. & Bilby, G. E. (1993). The effect of voluntary effort to influence speed of contraction on strength, muscular power, and hypertrophy development. *Journal of Strength and Conditioning Research*, 7 (3), 172-178.

\*

## Die Autoren

Dr. Klaus WIRTH, wissenschaftlicher Mitarbeiter am Institut für Sportwissenschaften der Goethe-Universität Frankfurt/Main, Arbeitsbereich Trainings- und Bewegungswissenschaften

Prof. Dr. Dietmar SCHMIDTBLEICHER, Lehrstuhlinhaber für Sportwissenschaften am Institut für Sportwissenschaften der Goethe-Universität Frankfurt/Main, Arbeitsbereich Trainings- und Bewegungswissenschaften

*Anschrift: Institut für Sportwissenschaften, Abteilung Trainings- und Bewegungswissenschaften, Goethe-Universität, Ginnheimer Landstraße 39, 60487 Frankfurt/Main*

*E-Mail: k.wirth@sport.uni-frankfurt.de*