

Adams, W.C., Fox, R.H., Fry, A.J. & MacDonald, I.C. (1975). Thermoregulation during marathon running in cool, moderate, and hot environments. *Journal of Applied Physiology*, 38 (6), 1030-1037.

Armstrong, L.E., Maresh, C.M., Riebe, D., Kenefick, R.W., Castellani, J.W., Senk, J.M., Echegaray, M. & Foley, M.F. (1995). Local cooling in wheelchair athletes during exercise-heat stress. *Medicine and Science in Sports and Exercise*, 27 (2), 211-216.

Arngrimsson, S.A., Petitt, D.S., Stueck, M.G., Jorgensen, D.K. & Cureton, K.J. (2004). Cooling vest worn during active warm-up improves 5-km run performance in the heat. *Journal of Applied Physiology*, 96, 1867-1874.

Bailey, D.M., Erith, S.J., Griffin, P.J., Dowson, A., Brewer, N., Gant, N. & Williams, C (2007). Influence of cold-water immersion on indices of muscle damage following prolonged intermittent shuttle running. *Journal of Sport Science*. 25, 1163-1170.

Banfi, G., Lombardi, G., Colombini, A. & Melegati, G. (2010). Whole-Body Cryotherapy in Athletes. *Sports Medicine* 40 (6), 509-617.

Barter, T.J. & Freer, P.C. (1984). Effect of temperature on handgrip holding time. *British Journal of Sports Medicine* 18 (2), 91-95.

Bazett, H.C., Scott, J.C., Maxfield, M.E. & Blithe, M.D. (1937). Effect of baths at different temperatures on oxygen exchange and on circulation. *American Journal of Physiology*, 119, 93-110.

Bennett, B.L., Hagan, R.D., Huey, K.A., Minson, C. & Cain, D. (1995). Comparison of two cool vests on heat-strain reduction while wearing a firefighting ensemble. *European Journal of Applied Physiology*, 70, 322-328.

Bergh, U. & Ekblom, B. (1979). Physical performance and peak aerobic power at different body temperatures. *Journal of Applied Physiology: Respiratory Environmental Exercise Physiology*, 46 (5), 885-889.

Birwe, G., Taghawinejad, M., Fricke, R. & Hartmann, R. (1989). Ganzkörperkältetherapie (GKKT) – Beeinflussung hämatologischer und entzündlicher Laborparameter. *Zeitschrift für physikalische Medizin, Balneologie, medizinische Klimatologie*, 18, 16-22.

Bleakley, C.M., Costello, J.T. & Glasgow, P.D. (2012). Should Athletes Return to Sport After Applying Ice? A Systematic Review of the Effect of Local Cooling on Functional Performance. *Sports Medicine* 42 (1), 69-87.

Bleakley, C., McDonough S. & MacAuley D. (2004). The use of ice in the treatment of acute soft-tissue injury: a systematic review of randomised controlled trials. *American Journal of Sports Medicine* 32 (1), 251-261.

Bleakley, C.M., Glasgow, P.D., Philips, N., Hanna, L., Callaghan, M.J., Davison, G.W., Hopkins, T.J. & Delahunt, E. (2011). Management of acute soft tissue injury using protection rest ice compression and

elevation: recommendations from the association of chartered physiotherapists in sports and exercise medicine (ACPSM).

Bleichert, A., Behling, K., Kitzing, J., Scarperi, M. & Scarperi, S. (1972). Antriebe und effektorische Maßnahmen der Thermoregulation bei Ruhe und während körperlicher Arbeit. *Internationale Zeitschrift für angewandte Physiologie*, 30, 193-206.

Bogdanis, G.C., Nevill, M.E., Lakomy, H.K., Graham, C.M., & Louis, G. (1996). Effects of active recovery on power output during repeated maximal sprint cycling. *European Journal of Applied Physiology and Occupational Physiology*, 74, 461-469.

Bolster, D.R., Trappe, S.W., Short, K.R., Scheffield-Moore, M., Parcell, A.C., Schulze, K.M. & Costill, D.L. (1999). *Effects of precooling on thermoregulation during subsequent exercise*. *Medicine and Science in Sports and Exercise*, 31 (2), 251-257.

Booth, J., Marino. & Ward, J.J. (1997). Improved running performance in hot humid conditions following whole body precooling. *Medicine and Science in Sports and Exercise*, 29 (7), 943-949.

Booth, J., Wilsmore, B.R., Macdonald, A.D., Zeyl, A., Mcghee, S., Calvert, D., Marino, F.E., Storlien, L.H. & Taylor, N.A.S. (2001). Whole-body pre-cooling does not alter human muscle metabolism during sub-maximal exercise in the heat. *European Journal of Applied Physiology*, 84, 587-590.

Borgmeyer, J.A., Scott, B.A. & Mayhew, J.L. (2004). The effects of ice massage on maximum isokinetic-torque production. *Journal of Sports Rehabilitation*, 13, 1-8.

Brück, K. (1987). Warmlaufen oder Kaltstart? Sportliche Höchstleistung durch Kälte. *Spiegel der Forschung*, 4 (5), 13-16.

Bulbulian, R., Shapiro, R., Murphy, M. & Levenhagen, D. (1999). Effectiveness of a commercial head-neck cooling device. *Journal of Strength and Conditioning Research*, 13 (3), 198-205;

Burke, D.G., MacNeil, S.A., Holt, L.E., MacKinnon, N.C. and Rasmussen, R.L. (2000). The effect of hot or cold water immersion on isometric strength training. *Journal of Strength and Conditioning Research* 14, 21-25.

Byrne, C., Lee, J.K.W., Chew, S.A.N., Lim, C.L. & Tan, E.Y.M. (2006). Continuous thermoregulatory responses to mass-participation distance running in heat. *Medicine and Science in Sports and Exercise*, 38 (5), 803-810.

Castle, P.C., A.L. Macdonald, A. Philp, A. Webborn, P.W. Watt & N.S. Maxwell (2006). Precooling leg muscle improves intermittent sprint exercise performance in hot, humid conditions. *Journal of Applied Physiology*, 100, 1377-1384.

Catlaw K., Arnold, B.L. & Perrin, D.H. (1996). Effect of cold treatments on concentric and eccentric force velocity relationship of the quadriceps, *Isokinetics and Exercise Science* 5, 157-160.

- Chen, W. L., Shih, Y.C. & Chi, C. F. (2010). Hand and finger dexterity as a function of skin temperature. EMG. and ambient condition. *Human Factors* 52 (3), 426-440.
- Cheung, S.S. & T.M. McLellan (1998). Heat acclimation, aerobic fitness, and hydration effects on tolerance during uncompensable heat stress. *Journal of Applied Physiology* 84 (5), 1731-1739.
- Cheung, S.S. & Robinson, A.M. (2004). The influence of upper-body pre-cooling on repeated sprint performance in moderate ambient temperatures. *Journal of Sports Sciences*, 22, 605-612.
- Cheung, S.S., Montie, D.L., White, M.D. & Behm, D. (2003). Changes in manual dexterity following short-term hand and forearm immersion in 10 degrees C water. *Aviation, Space and Environment Medicine* 74 (9), 990-993.
- Connolly, D.A.J., Sayers, S.P. & McHugh, P.M. (2003). Treatment and prevention of delayed onset muscle soreness. *Journal of Strength and Conditioning Research* 17 (1), 197-208.
- Coppin, E.G., Livingstone, S.D. & Kuehn, L.A. (1978). Effects on handgrip strength due to arm immersion in a 10 degree C water bath. *Aviation, Space and Environment Medicine* 49 (11), 1322-132.6
- Costello, J.T. & Donnelly, A.E. (2010). Cryotherapy and joint position sense in healthy participants: a systematic review. *Journal of Athletic Training*, 45 (31), 306-316.
- Cotter, J.D., Sleivert, G.G., Roberts, W.S. & Febbraio, M.A. (2001). Effect of pre-cooling, with and without thigh cooling, on strain and endurance exercise performance in the heat. *Comparative Biochemistry and Physiology Part A*, 128, 667-677.
- Cross, K.M., Wilson, R.W. & Perrin, D.H. (1996). Functional performance following and ice immersion to the lower extremity. *Journal of Athletic Training* 31 (2), 113-116.
- Crowley, G.C., Garg, A., Lohn, M.S., Van Someren M.D. & Wade, A.J. (1991). Effects of cooling the legs on performance in a standard Wingate anaerobic power test. *British Journal of Sports Medicine*, 25 (4), 200-203.
- Daanen, H.A., Es van, E.M. & Graaf de, J.L. (2006). Heat strain and gross efficiency during endurance exercise after lower, upper, or whole body precooling in the heat. *International Journal of Sports Medicine*, 27, 379-388.
- Marées, H. de (2003). *Sportphysiologie* (9., vollst. überarb. und erweiter. Aufl.). Köln: Verlag Sport & Buch Strauß.
- Dewhurst, S., Macaluso, A., Gizzi, L., Felici, F., Farina, D. & de Vito, G. (2010). Effects of altered muscle temperature on neuromuscular properties in young and older women. *European Journal of Applied Physiology*, 108 (3), 451-8.
- Dixon, P.G., Kraemer, W.J., Volek, J.S., Howard, R.L., Gomez, A.L., Comstock, B.A., Dunn-Lewis, C., Fragala, M.S., Hooper, D.R., Häkkinen, K. & Maresh, C.M. (2010). The impact of coldwater

immersion on power production in the vertical jump and the benefits of a dynamic exercise warm-up. *The Journal of Strength and Conditional Research*, 24 (12), 3313-3317.

Döker, R.K. (1989). *Über die Wirkung der alleinigen Atemluftkühlung auf Atmung, Kreislauf und Thermoregulation bei Arbeit in feuchtwarmem Klima*. Dissertation. Medizinische Fakultät der Universität – Gesamthochschule Essen.

Douris, P., McKenna, R., Madigan, K., Cesarski, B., Costiera, R. & Lu, M. (2003). Recovery of maximal isometric grip strength following cold immersion. *Journal of Strength and Conditional Research*, 17 (3), 509-513.

Drust, B., Cable, N.T. & Reilly, T. (2000). Investigation of the effects of the pre-cooling on the physiological responses to soccer-specific intermittent exercise. *European Journal of Applied Physiology*, 81, 11-17.

Duffield, R., Dawson, B., Bishop, D., Fitzsimons, M. & Lawrence, S. (2003). Effect of wearing an ice cooling jacket on repeat sprint performance in warm/humid conditions. *British Journal of Sports Medicine*, 37, 164-169.

Edwards, R.H.T., Harris, R.C., Hultman, E., Kaijser, L., Koh, D. & Nordesjö, L.-O. (1972). Effect of temperature on muscle energy metabolism and endurance during successive isometric contractions, sustained to fatigue, of the quadriceps muscle in man. *Journal of Physiology*, 220, 335-352.

Eston, R., & Peters, D. (1999). Effects of cold water immersion on the symptoms of exercise-induced muscle damage. *Journal of Sports Sciences*, 17, 231-238.

Falls, H.B. & Humphrey, H.B. (1970). Effect of length of cold showers on skin temperatures and exercise heart rate. *The Research Quarterly*, 41 (3), 353-360.

Fischer, J., Van Lunen, B.L., Branch, J.D. & Pirone, J.L. (2009). Functional performance following an ice bag application to the hamstrings. *Journal of Strength and Conditional Research*, 23 (1), 44-45.

Fricke, R. (1986). Physikalische Therapie chronisch entzündlicher Gelenkerkrankungen. *Therapiewoche*, 36 (20), 2182-2187.

Fricke, R. (1984). Lokale Kaltlufttherapie – Eine weitere kryotherapeutische Behandlungsmethode. *Zeitschrift für physikalische Medizin, Balneologie, medizinische Klimatologie*, 13, 260-266.

Fricke, R. (1989). Ganzkörperkältetherapie in einer Kältekammer mit Temperaturen um -110°C. *Zeitschrift für physikalische Medizin, Balneologie, medizinische Klimatologie*, 18, 1-10.

Fuller, A., Carter, R.N. & Mitchell, D. (1998). Brain and abdominal temperatures at fatigue in rats exercising in the heat. *Journal of Applied Physiology*, 84 (3), 877-883.

- Gold, A. J. & Zornitzer, A. (1968). Effect of partial body cooling on man exercising in a hot, dry environment. *Aerospace Medicine*, 39, 944-946.
- Gonzalez-Alonso, J., Teller, C., Andersen, S.L., Jensen, F.B., Hyldig, T. & Nielsen, B. (1999). Influence of body temperature on the development of fatigue during prolonged exercise in the heat. *Journal of Applied Physiology*, 86 (3), 1032-1039.
- Goodall, S. & Howatson, G. (2008). The effects of multiple cold water immersions on indices of muscle damage. *Journal of Sports Science and Medicine*, 7, 235-241.
- Griefahn, B. (1995). *Arbeit in mäßiger Kälte*. Schriftenreihe der Bundesanstalt für Arbeitsschutz: Forschung; Fb 716. Bremerhaven: Wirtschaftsverlag NW.
- Gupta, N., Frank, S.M., Ghoneim, N., El-Rahmany, H.K., Talamini, M.A., Zacur, H.A. & Raja, S.N. (2000). Thermoregulation and hormone replacement in postmenopausal women. *Journal of thermal biology*, 25, 165-169.
- Hadad, E., Rav-Acha, M., Heled, Y., Epstein, Y. & Moran, D.S. (2004). Heat Stroke. A Review of cooling methods. *Sports Medicine*, 34 (8), 501-511.
- Hamada, S., Torii, M., Szygula, Z. & Adachi, K. (2006). Effect of partial body cooling on thermophysiological responses during cycling work in a hot environment. *Journal of Thermal Biology*, 31, 194-207.
- Hamzat, T.K., Fatudimu, M.B. (2005). Acute effects of cold and muscle vibration on maximal grip strength and muscle endurance in normal subjects. *African Journal of Medicine and Medical Sciences*, 34 (3), 235-238.
- Hasegawa, H., Takatori, T., Komura, T. & Yamasaki, M. (2005). Wearing a cooling jacket during exercise reduces thermal strain and improves endurance exercise performance in a warm environment. *Journal of Strength and Conditioning Research*, 19 (1), 122-128.
- Hasegawa, H., Takatori, T., Komura, T. & Yamasaki, M. (2006). Combined effects of pre-cooling and water ingestion on thermoregulation and physical capacity during exercise in a hot environment. *Journal of Sports Sciences*, 24 (1), 3-9.
- Hatzel, B.M. & Kaminski, T.W. (2000). The effects of ice immersion on concentric and eccentric muscle performance in the ankle. *Isokinetic and Exercise Science*, 8, 103-107.
- Hayashi, K., Honda, Y., Ogawa, T., Wada, H., Kondo, N., & Nishiyasu, T. (2004). Effects of brief leg cooling after moderate exercise on cardiorespiratory responses to subsequent exercise in the heat. *European Journal of Applied Physiology*, 92, 414-420.
- Hesse, G. (1983). *Thermoregulation und Klimabeurteilung sowie Effizienz arbeitsmedizinischer Vorsorge bei Hitzearbeitern*. Dissertation zur Erlangung des Doktorgrades der Medizin in der Medizinischen Hochschule Hannover.

- Hessemer, V., Langusch, D., Brück, K., Bödeker, R.H. & Breidenbach, T. (1984). Effect of slightly lowered body temperatures on endurance performance in humans. *Journal of Applied Physiology: Respiratory Environmental Exercise Physiology*, 57 (6), 1731-1737.
- Hopkins, W.G., Hawley, J.A. & Burkey, L.M. (1999). Design and analysis of research on sport performance enhancement. *Medicine and Science in Sports and Exercise*, 31, 472-485.
- Hornery, D. J., Papalia, S., Mujika, I. & Hahn, A. (2005). Physiological and performance benefits of halftime cooling. *Journal of Science and Medicine in Sports*, 8 (1), 15-25.
- Howard, R.L. Jr., Kraemer, W.J., Stanley, D.C., Armstrong, L.E. & Maresh, C. (1994). The effects of cold immersion on muscle strength. *Journal of Strength and Conditioning Research* 8 (3), 129-133.
- Howatson, G. & van Someren, K.A. (2003). Ice massage. Effects on exercise-induced muscle damage. *Journal of Sports Medicine and Physical Fitness* 43, 500-505.
- Hume, P., Cheung, K., Maxwell, L. & Weerapong, P. (2004). An overview of treatment strategies. *Sports Medicine* 5, 98-118.
- Israel, S. (1977). Das Erwärmen als Startvorbereitung. *Medizin und Sport*, XVII, 12, S. 386-391.
- Jessen, C. (2001). *Temperature Regulation in Humans and Other Mammals*. Berlin, Heidelberg, New York: Springer-Verlag.
- Joch, W. & Ückert, S. (2004). Die Herzfrequenzvariabilität unter Belastungsbedingungen nach Kälteapplikation. In K. Hottenrott (Hrsg.), *Herzfrequenzvariabilität im Fitness- und Gesundheitssport* (Schriften der Deutschen Vereinigung für Sportwissenschaft, 142, S. 112-120). Hamburg: Cwalina.
- Johnson, D.J. & Leider, F.E. (1977). Influence of cold bath on maximum handgrip strength. *Perceptual and Motor Skills*, 44 (1), 323-326.
- Kay, D. & Marino, F.E. (2000). Fluid ingestion and exercise hyperthermia: implications for performance, thermoregulation, metabolism and the development of fatigue. *Journal of Sports Sciences*, 18, 71-82.
- Kay, D., Taaffe, D.R. & Marino, F.E. (1999). Whole-body pre-cooling and heat storage during self-paced cycling performance in warm humid conditions. *Journal of Sports Sciences*, 17, 937-944.
- Kimura, I.F., Thompson, G.T. & Gullick, D.T. (1997). The effect of cryotherapy on eccentric plantar flexion peak torque and endurance. *Journal of Athletic Training*, 32 (2), 124-126.
- Knight, K.L. (1995). *Cryotherapy in sport injury management*. Champaign: Human Kinetics.
- Knight, K.L. (1976). Effects of hypothermia on inflammation and swelling. *Journal of Athletic Training* 11, 7-10.

- Kruk, B., Pekkarinen, H., Harri, M., Manninen, K. & Hanninen, O. (1990). Thermoregulatory responses to exercise at low ambient temperature performed after precooling or preheating procedures. *European Journal of Applied Physiology*, 59, 416-420;
- Kubo K., Kanehisa, H. & Fukunaga, T. (2005). Effects of cold and hot water immersion on the mechanical properties of human muscle and tendon in vivo. *Clinical Biomechanics*, 20 (3), 291-230.
- Lakie, M., Villagra, F., Bowman, L. & Wilby, R. (1995). Shooting performance is related to forearm temperature and hand tremor size. *Journal of Sports Science*, 13 (4), 313-320.
- Lane, K.N., & Wenger, H.A. (2004). Effect of selected recovery conditions on performance of repeated bouts of intermittent cycling separated by 24 hours. *Journal of Strength and Conditioning Research*, 18, 855-860.
- Lee, D.T. & Haymes, E.M. (1995). Exercise duration and thermoregulation responses following whole body precooling. *Journal of Applied Physiology*, 79, 1971-1976.
- Livingstone, S.D., Grayson, J., Frim, J., Allen, C.L. & Limmer, R.E. (1983). Effect of cold exposure on various sites of core temperatures measurements. *Journal of Applied Physiology: Respiratory, Environmental and Exercise Physiology*, 54 (4), 1025-1031.
- Lopez, R.M., Cleary, M.A., Jones, L.C. & Zuri, R.E. (2008). Thermoregulatory influence of a cooling vest on hyperthermic athletes. *Journal of Athletic Training*, 43 (1), 55-61.
- MacAuley, D.C. (2001). Ice therapy: how good is the evidence? *International Journal of Sports Medicine*, 22 (5), 379-384.
- MacDougall, J. D., Reddan, W.G., Layton, C.R. & Dempsey, J.A. (1974). Effects of metabolic hyperthermia on performance during heavy prolonged exercise. *Journal of Applied Physiology*, 36 (5), 538-544.
- Marino, F.E. (2002). Methods, advantages, and limitations of body cooling for exercise performance. *British Journal of Sports Medicine*, 36, 89-94.
- Marsh, D. & Sleivert, G. (1999). Effect of precooling on high intensity cycling performance. *British Journal of Sports Medicine*, 33, 393-397.
- Martin, D.T., Hahn, A.G., Ryann-Tanner, R., Yates, K., Lee, H. & Smith, J.A. (1998). Ice jackets are cool. *Sportscience*, 2 (4), sportsci.org/jour/9804/dtm.html.
- Mattacola, C.G. & Perrin, D.H. (1993). Effects of cold water application on isokinetic strength of the plantar flexors. *Isokinetics and Exercise Science*, 3, 152-159.
- McDermott, B.P., Casa, D.J., Ganio, M.S., Lopez, R.M., Yeargin, S.W., Armstrong, L.E. & Maresh, C.M. (2009). Acute whole-body cooling for exercise-induced hyperthermia: a systematic review. *Journal of Athletic Training*, 44 (1), 84-93.

- Merrick, M., Ranin, J., Andres, F., & Hinman, C. (1999). A preliminary examination of cryotherapy and secondary injury in skeletal muscle. *Medicine and Science in Sports and Exercise*, 31, 1516-1521.
- Merrick, M.A. (2002). Secondary injury after musculoskeletal trauma: a review and update. *Journal of Athletic Training*, 37 (2), 209-217.
- Miniello, S., Dover, G., Powers, M., Tillmann, M. & Wikstrom, E. (2005). Lower leg cold immersion does not impair dynamic stability in healthy women. *Journal of Sport Rehabilitation*, 14, 234-247.
- Mitchell, J.B., McFarlin, B.K. & Dugas, J.P. (2003). The effect of pre-exercise cooling on high intensity running performance in the heat. *International Journal of Sports Medicine*, 24, 118-124.
- Monedero, J. & Donne, B. (2000). Effect of recovery interventions on lactate removal and subsequent performance. *International Journal of Sports Medicine*, 21, 593-597,
- Morrison, S.A., Cotter, J.D., Cheung, S.S. & Rehrer, N. (2006). Are the benefits of precooling overestimated? *Medicine and Science in Sports and Exercise*, 38 (5), 59.
- Myler, G.R., Hahn, A.G. & Tumilty, D. McA (1989). The effect of preliminary skin cooling on performance of rowers in hot condition. *Excel*, 6 (1), 17-21.
- Nadel, E.R. (1977). *Problems with Temperature Regulation during Exercise*. New York, San Francisco, London: Academic Press Inc.
- Nielsen, B., Hales, J.R.S., Strange, S., Christensen, N.J., Warberg, J. & Saltin, B. (1993). Human circulatory and thermoregulatory adaptations with heat acclimation and exercise in a hot, dry environment. *Journal of Physiology*, 460, 467-485.
- Oliver, R.A., Johnson, D.J., Wheelhouse, W.W. & Griffin, P.P. (1979). Isometric muscle contraction response during recovery from reduced intramuscular temperature. *Archives of Physical Medicine and Rehabilitation*, 60, 126-129.
- Patterson, S.M., Udermann, B.E., Doberstein, S.T. & Reineke, D.M. (2008). The effects of cold whirlpool on power, speed, agility, and range of motion: *Journal of Sports Science and Medicine*, 7, 387-394.
- Pereira, L.G., Pereira, R., Pinto Neto, O. & Magini, M. (2010). The short and long term effects of tibialis anterior local cooling on dorsiflexion force. *Journal of Human Kinetics*, 26, 65-71.
- Petrofsky, J.S. & Lind, A. (1980). The influence of temperature on the amplitude and frequency components of the EMG during brief sustained isometric contractions. *European Journal of Applied Physiology and Occupational Physiology*, 44, (2), 189-200.
- Pugh, L.G.C.E., Corbett, J.L. & Johnson, R.H. (1967). Rectal temperatures, weight losses, and sweat rates in marathon running. *Journal of Applied Physiology*, 23, 347-352.
- Quod, M.J., Martin, D.T. & Laursen, P.B. (2006). Cooling athletes before competition in the heat. *Sports Medicine*, 36 (8), 671-682;

- Ranalli, G.F., Demartini, J.K., Casa, D.J., McDermott, B.P., Armstrong, L.E., Maresh, C.M. (2010). Effect of body cooling on subsequent aerobic and anaerobic exercise performance: a systematic review. *Journal of Strength and Conditional Research*, 24 (12), 3488-3496.
- Ranatunga, K.W., Sharpe, B. & Turnbull, B (1987). Contractions of human skeletal muscle at different temperatures. *Journal of Physiology (London)* 390, 383-395.
- Richendollar, M.L., Darby, L.A. & Brown, T.M. (2006). Ice bag application, active warm-up and 3 measures of maximal functional performance. *Journal of Athletic Training*, 41 (4), 364-370.
- Saltin, B., Gagge, A.P., Bergh, U. & Stolwijk, J.A. (1972). Body temperatures and sweating during exhaustive exercise. *Journal of Applied Physiology*, 32 (2), 635-643.
- Sanya, A. & Bello, A. (1999). Effects of cold application on isometric strength and endurance of quadriceps femoris muscle. *African Journal of Medicine and Medical Science*, 28 (3-4), 195-198.
- Sargeant, A.J. & Dolan, P. (1987). Effect of prior exercise on maximal short-term power output in humans. *Journal of Applied Physiology*, 63 (4), 1475-1480.
- Schiffer, H. (1997). *Physiologische, psychologische und trainingsmethodische Aspekte des Auf- und Abwärmens* (2., erw. und überarb. Aufl.) Köln: Sport & Buch Strauß.
- Seifert, H.R. (1966). *Der Wärmeaustausch durch die schweißbedeckte Haut bei Umgebungstemperaturen oberhalb der Hauttemperatur*. Köln und Opladen: Westdeutscher Verlag.
- Senn, E. (1985). Kältetherapie. *Therapiewoche*, 35, 3609-3616.
- Senne, I.B. (2001). *Effekte der Ganzkörperkältekammer bei Patienten mit Spondylitis ankylosans*. Inaugural-Dissertation zur Erlangung des Doktorgrades der Medizin einer Hohen Medizinischen Fakultät der Ruhr-Universität Bochum.
- Shellock, F.G. & Prentice, W.E. (1985). Warming-Up and Stretching for Improved Physical Performance and Prevention of Sports-Related Injuries. *Sports Medicine*, 2, 267-278;
- Signorile, J.F., Ingalls, C., & Tremblay, L.M. (1993). The effects of active and passive recovery on short-term, high intensity power output. *Canadian Journal of Applied Physiology*, 18, 31-42.
- Skurvydas, A., Sipaviciene, S., Krutulyte, G., Gailiuniene, A., Stasiulis, A., Mamkus, G. & Stanislovaitis, A. (2006). Cooling leg muscles affects dynamics of indirect indicators of skeletal muscle damage. *Journal of Back and Musculoskeletal Rehabilitation*, 19, 141-151.
- Sleivert, G.G., Cotter, J.D., Roberts, W.S. & Febbraio, M.A. (2001). The influence of whole-body vs. torso pre-cooling on physiological strain and performance of highintensity exercise in the heat. *Comparative Biochemistry and Physiology Part A* 128, 657-666.

- Smith, J.A., Yates, K., Lee, H., Thompson, M.W., Holcombe, B.V. & Martin, D.T. (1997). Pre-cooling improves cycling performance in hot/humid conditions. *Medicine and Science in Sports and Exercise*, 29 (5), 263-264.
- Smolenski, U.C., Seidel, E.J., Winkelmann, C. & Günther, P. (2003). Physikalische Therapie bei Spondylitis anklyosans. *Physikalische Medizin, Rehabilitationsmedizin, Kurortmedizin*, 13, 354-359.
- Taghawinejad, M., Birwe, G., Fricke, R. & Hartmann, R. (1989). Ganzkörpertherapie – Beeinflussung von Kreislauf und Stoffwechselfparametern. *Zeitschrift für physikalische Medizin, Balneologie, medizinische Klimatologie*, 18, 23-30.
- Tegeder, A.R., Hunter, I. Mack, G.W. & Hager, R. (2008). Long-distance interval training following pre-cooling with an ice vest. *International Journal of Sports Science & Coaching*, 3 (2), 269-275.
- Thiriet, P., Gozal, D., Wouassi, D., Oumarou, T., Gelas, H., & Lacour, J. R. (1993). The effect of various recovery modalities on subsequent performance, in consecutive supramaximal exercise. *Journal of Sports Medicine and Physical Fitness*, 33, 118-129.
- Thornley, L.J., Maxwell, N.S. & Cheung, S.S. (2003). Local tissue temperature effects on peak torque and muscular endurance during isometric knee extension. *European Journal of Applied Physiology* 90, 588-594.
- Ückert, S. & Joch, W. (2003). Der Einfluss von Kälte auf die Herzfrequenzvariabilität. *Österreichisches Journal für Sportmedizin*, 33 (2), 14-20.
- Ückert, S. & Joch, W. (2004). Der Einfluss von Kälte auf die Herzfrequenzvariabilität als Regenerationsparameter. In K. Hottenrott (Hrsg.), *Herzfrequenzvariabilität im Fitness- und Gesundheitssport* (Schriften der Deutschen Vereinigung für Sportwissenschaft, 142, S. 103-111). Hamburg: Cwalina.
- Ückert, S. & Joch, W. (2007a). Effects of warm-up and precooling on the endurance performance in the heat. *British Journal of Sports Medicine*, 41, 380-384.
- Ückert, S. & Joch, W. (2007b). Kälteapplikation in Sportspielpausen. *Leistungssport*, 37 (4), 16-22.
- Ückert, S. (2012). *Temperatur und sportliche Leistung*. Aachen: Meyer und Meyer.
- Vaile, J, Halson, S., Gill, N. & Dawson, B. (2008). Effect of cold water immersion on repeat cycling performance and thermoregulation in the heat. *Journal of Sports Sciences*, 26 (5), 431-440.
- Vincent, M.J. & Tipton, M.J. (1988) The effects of cold immersion and hand protection on grip strength. *Aviation Space and Environment Medicine*, 59 (8), 738-741.
- Wassinger, C.A., Myers, J.B., Gatti, J.M., Conley, K.M. & Lephart, S.M. (2007). Proprioception and throwing accuracy in the dominant shoulder after cryotherapy. *Journal of Athletic Training*, 42 (1), 84-89.

Watson, R.C., & Hanley, R.D. (1986). Application of active recovery techniques for a simulated ice hockey task. *Canadian Journal of Applied Sport Sciences*, 11, 82-87.

Webb, P. & Annis, J.F. (1968). Cooling required to suppress sweating during work. *Journal of Applied Physiology*, 25 (5), 489-493.

Weineck, J. (2007). *Optimales Training* (15. Aufl.). Balingen: Spitta-Verlag
Weineck, J. (2007). *Optimales Training* (15. Aufl.). Balingen: Spitta-Verlag.

Weltman, A., & Regan, J. D. (1983). Prior exhaustive exercise and subsequent, maximal constant load exercise performance. *International Journal of Sports Medicine*, 4, 184-189.

Wenzel, H.G. (1965). *Die Erholungsdauer nach Hitzearbeit als Maß der Belastung*. Köln und Opladen: Westdeutscher Verlag.

Werner, J. (1984). *Regelung der menschlichen Körpertemperatur*. Berlin, New York: Walter de Gruyter.

White, A.T., Davis, S.L. & Wilson, T.E. (2003). Metabolic, thermoregulatory, and perceptual responses during exercise after lower vs. whole body precooling. *Journal of Applied Physiology*, 94, 1039-1044.

Wilcock, I.M., Cronin, J.B., & Hing, W.A. (2006). Physiological response to water immersion: A method for sport recovery? *Sports Medicine*, 36, 747-765.

Wilson, T.E., Johnson, S.C., Petajan, J.H., Davis, S.L., Gappmaier, E., Luetkemeier, M.J. & White, A.T. (2002). Thermal regulatory responses to submaximal cycling following lower-body cooling in humans. *European Journal of Applied Physiology*, 88, 67-75.

Yamauchi, T. (1985). Whole body Cryotherapy is a method of extreme cold – 175° C treatment initially for Rheumatoid Arthritis. *Zeitschrift für physikalische Medizin, Balneologie, medizinische Klimatologie*, 15, 311;

Yanagisawa, O., Kudo, H., Takahashi, N., & Yoshioka, H. (2004). Magnetic resonance imaging evaluation of cooling on blood flow and oedema in skeletal muscles after exercise. *European Journal of Applied Physiology*, 91, 737-740.

Zhou S., Carey, M.F. & Snow, R.J., Lawson, D.L. & Morrison, W.E. (1998). Effects of muscle fatigue and temperature on electromechanical delay. *Electromyography and Clinical Neurophysiology*, 38 (2), 67-73.