

Thiemo Pelzer/Mark Pfeiffer/Boris Ullrich

ANPASSUNGSEFFEKTE LINEAREN UND TÄGLICH-NICHTLINEAREN KRAFTTRAININGS BEI FRAUEN

Teil 2 der Beitragsreihe „Krafttrainings-Periodisierungsmodelle auf dem Prüfstand“

Literatur

Aagaard, P. (2003). Training-induced changes in neural function. *Exercise and Sport Sciences Reviews*, 31, 61-67.

Alegre, L. M., Fernando, J., Gonzalo-Orden, J. M., Martin-Acero, R. & Aguado, X. (2006). Effects of dynamic resistance training on fascicle length and isometric strength. *Journal of Sports Sciences*, 24, 501-508.

Apel, J. M., Lacey, R. M. & Kell, R. T. (2011). A comparison of traditional and weekly undulating periodized strength training programs with total volume and intensity equated. *Journal of Strength and Conditioning Research*, 25 (3), 694-703.

Atherton, P. J., Babraj, J., Smith, K., Singh, J., Rennie, M. J. & Wackerhage, H. (2005). Selective activation of AMPK-PGC-1 α or PKB-TSC2-mTOR signaling can explain specific adaptive responses to endurance or resistance training-like electrical muscle stimulation. *FASEB Journal*, 19 (7), 786-788.

Blazevich, A. J., Gill, N. D., Bronks, R. & Newton, R. U. (2013). Training-specific muscle architecture adaptation after 5-wk training in athletes. *Medicine & Science in Sports & Exercise*, 35, 2013-2022.

Fleck, S. J. (2011). Non-linear periodization for general fitness and athletes. *Journal of Human Kinetics*, (Special Issue), 41-45.

Fröhlich, M., Müller, T., Schmidtbleicher, D. & Emrich, E. (2009). Outcomeeffekte verschiedener Periodisierungsmodelle im Krafttraining. *Deutsche Zeitschrift für Sportmedizin*, 60 (10), 307-314.

Hartmann, H., Wirth, K., Keiner, M., Mickel, C., Sander, A. & Szilvas, E. (2015). Short-term periodization models: Effects on strength and speed strength performance. *Sports Medicine*, 2, July 2 (epub ahead of print).

Harries, S. K., Lubans, D. R. & Callister, R. (2015). Systematic review and meta-analysis of linear and undulating periodized resistance training programs on muscular strength. *Journal of Strength and Conditioning Research*, 29 (4), 1113-1125.

Hoffman, J. R., Ratamess, N. A., Klatt, M., Faigenbaum, A. D., Ross, R. E., Tranchina, N. M., McCurley, R. C., Kang, J. & Kraemer, W. J. (2009). Comparison between different off-season resistance training programs in division III American college football players. *Journal of Strength and Conditioning Research*, 23, 11-19.

Hortobagyi, T., Scott, K., Lambert, J., Hamilton, G. & Tracy, J. (1999). Cross-education of muscle strength is greater with stimulated than voluntary contractions. *Journal of Motor Control*, 3 (2), 205-219.

Kawamori, N. & Haff, G. G. (2004). The optimal training load for the development of muscular power. *Journal of Strength and Conditioning Research*, 18 (3), 675-684.

Kok, L. Y., Hamer, P. W. & Bishop, D. J. (2009). Enhancing muscular qualities in untrained women. Linear versus undulating periodization. *Medicine & Science in Sports & Exercise*, 41 (9), 1797-1807.

Lieber, R. L. & Friden, J. (2000). Functional and clinical significance of skeletal muscle architecture. *Muscle & Nerve*, 23, 1647-1666.

Monteiro, A. G., Aoki, M. S., Evangelista, A. L., Alveno, D. A., Monteiro, G. A., Picarro Ida, C. & Ugrinowitsch, C. (2009). Nonlinear periodization maximizes strength gains in split resistance training routines. *Journal of Strength and Conditioning Research*, 23 (4), 1321-1326.

Ratamess, N. A., Alvar, B. A., Evetoch, T. K., Housh, T. J., Kibler, W. B., Kraemer, W. J. & Triplett, N. T. (2009). American College of Sports Medicine: Progression models in resistance training for healthy adults: Position stand. *Journal of Medicine and Science in Sports and Exercises*, 41, 687-708.

Seynnes, O. R., de Boer, M. & Narici, M. V. (2007). Early skeletal muscle hypertrophy and architectural changes in response to high-intensity resistance training. *Journal of Applied Physiology*, 102, 368-373.

Simao, R., Spinetti, J., de Salles, B. F., Matta, T., Fernandes, L., Fleck, S. J., Rhea, M. R., Strom-Olsen, H. E. (2012). Comparison between nonlinear and linear periodized resistance training: hypertrophic and strength effects. *Journal of Strength and Conditioning Research*, 26 (5), 1389-1395.

Souza, E. O., Ugrinowitsch, C., Tricoli, V., Roschel, H., Lowery, R. P., Aihara, A. Y., Leao, A. R. S. & Wilson, J. M. (2014). Early adaptations to six weeks of non-periodized and periodized strength training regimens in recreational males. *Journal of Sports Science and Medicine*, 13, 604-609.

Spinetti, J., Figueiredo, T., de Salles, B. F., Assis, M., Fernandes, L. J. N. et al. (2013). Comparison between different periodization models on muscular strength and thickness in a muscle group increasing sequence. *The Revista Brasileira de Medicina do Esparto*, 19 (4), 280-286.

Toigo, M. & Boutellier, U. (2006). New fundamental resistance exercise determinants of molecular and cellular muscle adaptations. *European Journal of Applied Physiology*, 97 (6), 643-663.

Ullrich, B., Kleinöder, H. & Brüggemann, G. P. (2010). Influence of length-restricted strength training on athlete's power-load curves of knee extensors and flexors. *Journal of Strength and Conditioning Research*, 24 (3), 668-678.

Ullrich, B., Holzinger, S., Soleimani, M., Pelzer, T., Steining, J. & Pfeiffer, M. (2015). Neuromuscular responses to 14 weeks of traditional and daily undulating resistance training. *International Journal of Sports Medicine*, 36 (7), 554-62.

Zhou, S. (2000). Chronic neural adaptations to unilateral exercise: Mechanisms of cross education. *Exercise and Sport Sciences Reviews*, 28 (4), 177-184.

Korrespondenzadresse

Thiemo Pelzer, M. Sc., Johannes Gutenberg-Universität Mainz, Institut für Sportwissenschaften, Abteilung Theorie und Praxis der Sportarten, Dalheimer Weg 2, 55128 Mainz
E-Mail: pelzer@uni-mainz.de